




# PRODUCT CATALOGUE

INNOVATIVE SURFACE COATINGS, CLEANING AGENTS,  
CARE PRODUCTS AND ACCESSORIES



**„By continually developing our products, we want to do our part in the responsible use of water as a resource and in preserving our environment.“**



## **Innovative surface coatings, cleaning agents, care products and accessories**

### **SUSTAINABILITY**

Water is the basis of all life. The responsible use of water as a resource is therefore crucial. Access to clean water prevents the spread of disease and protects our health.

Water pollution can cause environmental damage and endanger biodiversity. Rivers, lakes and our seas are sensitive ecosystems that must therefore be protected. Water is also an important factor for industry, which is why sustainable use of water contributes to economic stability.

Water is a limited resource and many regions of the world already suffer from water shortages. By using water carefully and keeping it pollution-free, we contribute to global responsibility for future generations.

### **VISION**

With our products and services we want to achieve a rethink, because as a pioneer in surface refinement, significant conservation of resources is our primary goal.

# CONTENTS

## CLEANING

- 06 Ready-to-use surface cleaner
- 10 Concentrates
- 14 Accessories

## PREPARATION

- 16 Polishing Matrix
- 18 Microfine abrasive pastes
- 20 Polishing sponges for orbital & rotary polishers
- 22 Polishing pads for orbital polishers
- 24 Polishing pads for orbital polishers
- 25 Polishing pads for rotary polishers
- 26 Lambskin pads for rotary polishers
- 28 Polishing Pads for rotary polishers
- 29 Accessories



## PERMANENT SURFACE COATINGS

### PRE-CLEANER

- 34 For pre-cleaning before sealing

### COATINGS

- 36 Paint
- 40 Rims, brakes and exhaust systems
- 41 Plastic
- 42 Glass
- 44 Textile
- 44 Leather
- 45 Metal
- 45 Tile and ceramics

### SPECIAL COATINGS

- 46 Aero
- 48 Yacht

## CARE

- 51 Paint care
- 53 Plastic and rubber care
- 54 Leather care

Neu

## PPF & FILM PRODUCTS

- 62 Pre-cleaner & Slip-Solution

## PRODUCT LINES

- 57 Pro 25 Series – Large packaging
- 61 Hydro Ceramic Series



## ACCESSORIES FOR CLEANING AND CARE

- 65 Microfiber cloths
- 68 Sponges and washing accessories
- 72 Applicators and cloths

## CLOTHING

- 71 Polo shirts and Polishing apron

## MERCHANDISE

- 77 Promotional material



**Insect Remover (ready-to-use)**  
Ready-to-use insect remover

Insect Remover (ready-to-use) is a specially developed cleaning agent for the non-abrasive removal of insect residues on glass, paint, chrome and plastic surfaces (solvent-free). The traditional formulation opens thick and hard residues even faster and softens them to allow gentle removal without exposing the surface to stress. Insect Remover (ready-to-use) is tested for paint and synthetic material compatibility. It is ideal as a pre-cleaner for car washing and also removes oil, grease and carbon black.

**Areas of application:**

- Cleaning of all types of vehicles
- Acryl glass / Polycarbonate
- Ideal for cleaning servFaces-coated surfaces

**Properties:**

- Gel formulation for the best performance
- Suitable as a pre-cleaner as well
- Material friendly
- Powerful

750 ml	5 liters	10 liters
Art. No.: SF10019.1	Art. No.: SF10019.2	Art. No.: SF10019.3



**Rims & Dust Cleaner**  
Rim cleaner with color indicator

servFaces Rims & Dust Cleaner is a powerful high-performance cleaner based on reacting active substances and high-performance surfactants. It removes burned-in brake dust and other inorganic dirt quickly, effectively and gently. An optimum combination of ingredients guarantees a long application time to allow the reacting active substances to infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt to rinse it off easily. Heavily soiled areas should be reworked with a sponge or brush to enable better cleaning.

**Areas of application:**

- Rims on passenger cars and commercial vehicles
- Painted surfaces
- Aluminum, chrome and steel rims
- Plastic hub caps

**Properties:**

- Powerful
- Color indicator
- Low foam formation

750 ml	5 liters	10 liters
Art. No.: SF10184.1	Art. No.: SF10184.2	Art. No.: SF10184.3



**Iron EXX**  
Flash rust remover

servFaces Iron EXX is a powerful, pH-neutral and acid-free high-performance cleaner based on reacting active substances and high-performance surfactants. It removes flash rust and other inorganic dirt quickly, effectively and gently. An optimum combination of ingredients guarantees a long application time which allows the reacting active substances to infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt to rinse it off easily. Heavily soiled areas should be reworked with a sponge or brush to enable better cleaning.

**Areas of application:**

- Suitable for all surfaces on passenger cars and commercial vehicles – including painted surfaces, plastics, glass, and rims.

**Properties:**

- Powerful
- pH neutral
- Acid-free
- Color indicator

750 ml	5 liters	10 liters
Art. No.: SF10270.1	Art. No.: SF10270.2	Art. No.: SF10270.3



## Glass Cleaner (ready-to-use)

### Premium glass cleaner

Glass Cleaner (ready-to-use) is a modern ready-to-use glass cleaner that protects material and cleans glass surfaces without streaking. The product is also very well suited for plastic surfaces. It is suitable for universal application and effortlessly removes nicotine, grease and oil.

#### Areas of application:

- Glass facades and windows
- Car windows
- Plastic discs
- Window frames
- Glass tables and mirrors

#### Properties:

- Silicone-free
- Skin-friendly and environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical

750 ml	5 liters	10 liters
<b>Art. No.:</b> SF10183.1	<b>Art. No.:</b> SF10183.2	<b>Art. No.:</b> SF10183.3



## Allround Cleaner (ready-to-use)

### Ready-to-use all-purpose cleaner

servFACES Allround Cleaner is a slightly alkaline, ready-to-use combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastics without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into the surface structure and dissolves even the most stubborn dirt, such as oil, grease and nicotine residues. servFACES Allround Cleaner is also suitable for powerful and effective cleaning of all surfaces in buildings, public transport and many more.

#### Areas of application:

- Car interiors
- Tiling, concrete and stone floors
- Furniture in public institutions
- Office buildings
- Trains and trams
- Industry and handicrafts
- Doors and windows

#### Properties:

- Leaves no streaks
- Removes heavily soiled areas
- Applicable cold or hot
- Highly concentrated
- Strong cleaning power
- Biologically degradable
- Develops no toxic vapors
- Skin and environmentally friendly

750 ml	5 liters	10 liters
<b>Art. No.:</b> SF10258.1	<b>Art. No.:</b> SF10258.2	<b>Art. No.:</b> SF10258.3



500 ml
Art. No.: SF10264.3

## Tar & Bitumen Remover

### Tar and bitumen remover

Tar & Bitumen Remover is a solvent formulation optimized according to the latest legal requirements for automobiles, industry and handicraft. It is especially suited to removing tar and bitumen residues on coated surfaces, plastics, glass, tiling, metal, facades, bricks, stone and exposed aggregate concrete as well on vehicles in the automotive industry, equipment and machinery in road construction and asphalt surfacing.

**Areas of application:**

- Vehicles and automotive equipment
- Road construction
- Béton Brut
- Concrete floors
- Exposed aggregate concrete

**Properties:**

- Cleans quickly and efficiently
- Removes tar and bitumen residuals, tree sap, preservation waxes and oils from all solvent-resistant surfaces
- Easy to apply
- Powerful and protects material



500 ml
Art. No.: SF10412

## Tar EXX

### Tar remover

Tar EXX is a tar remover based on renewable raw materials that is free of hydrocarbons and terpene hydrocarbons. The unique and environmentally friendly formulation based on micro-emulsion technology guarantees gentle removal of tar residues on coated surfaces, plastics, glass, metal, and much more. Tar EXX should be used mainly for cleaning vehicles in automotive industry and devices and machinery in road construction and asphalt surfacing.

**Areas of application:**

- Vehicles and automotive equipment
- Road construction equipment and machinery
- Campers
- Motorcycles

**Properties:**

- Protects material
- Environmentally friendly
- Removes tar and bitumen residues, preservation waxes and oils from all solvent-resistant surfaces
- Easy to apply
- Free of VOC
- Effective as a conventional solvent



750 ml	5 liters
Art. No.: SF10464	Art. No.: SF10464.1

## Water Spot EXX

### Acid-based water stain remover

servFaces Water Spot EXX gently and effectively removes water stains from all exterior vehicle surfaces. Limescale or mineral salts are often the cause of water stains on vehicle surfaces. Thanks to the adhesion-optimized acid-based formula, the surface remains wetted during the entire exposure phase. This gently dissolves the limescale, resulting in a stain-free finish.

**Areas of application:**

- Painted surfaces (matt and gloss paint)
- Surfaces made of plastic, glass or metal

**Properties:**

- Removes water stains on all exterior vehicle surfaces
- Acidic
- Without hydrofluoric acid, without hydrochloric acid
- Non-hazardous
- Short exposure time
- Adhesion-optimized formula for vertical surfaces



## Leather Cleaner Medium

### Leather cleaning & care system

Leather Cleaner Medium gently removes oil or greasy dirt from all clean aniline, semi-aniline and covered leather. They are ideal for removing minor water stains or visible patches caused by previous stain removal. This effective cleaning foam is available in a practical foam dispenser bottle. The specific application considerably reduces consumption compared to liquid cleaners. Another advantage is the stability of the foam. The leather will not get too wet or not harden during drying.

#### Areas of application:

- Slightly to moderately soiled areas on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leather

#### Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)

200 ml	1 liters
Art. No.: SF10067	Art. No.: SF10067.1



## Leather Cleaner Strong

### Leather cleaning & care system

Leather Cleaner Strong gently removes oil or greasy dirt from all clean aniline, semi-aniline and covered leather. They are ideal for removing minor water stains or visible patches caused by previous stain removal. This effective cleaning foam is available in a practical foam dispenser bottle. The specific application considerably reduces consumption compared to liquid cleaners. Another advantage is the stability of the foam. The leather will not get too wet or not harden during drying.

#### Areas of application:

- Moderately to heavily soiled areas on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leather

#### Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)

200 ml	1 liters
Art. No.: SF10068	Art. No.: SF10068.1

## Stain Remover

### Leather cleaning & care system



A properly maintained leather surface is less susceptible to staining. If things go wrong from time to time, our leather cleaners in the Leather Care System line can help. Whether ink or jeans stains on white upholstery or deep-rooted grease stains, servFACES has cleaning specialists for any kind of stain.

For dirt insoluble in water such as ink, permanent marker or similar, use our solvent-based special cleaner servFACES Stain Remover. Caution: These special cleaners can attack the leather surface and remove the color if applied with too great a pressure during the cleaning process!

#### Areas of application:

- water-insoluble soiling on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leather

#### Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)

100 ml	
Art. No.: SF10069	



## Reactive Cleaner

Pre-cleaner (high concentrate)

servFaces Reactive Cleaner (High Concentration) is an effective and very powerful high-performance cleaner for a wide range of applications. Reactive Cleaner (High Concentration) is highly concentrated and is excellent as a pre-cleaner for non-abrasive car washing. Thanks to the new alkaline formulation of active ingredients and special selection of surfactants, it dissolves dirt such as insect remains, bird droppings, environmental pollution and grease. It is also very suitable for non-abrasive removal of deposits on servFaces-coated surfaces.

**Areas of application:**

- Passenger cars, trucks and motorcycles
- Campers, buses and transporters
- Trains and trams
- Construction machinery
- Industry and handicrafts
- Engine bays
- Boats

**Properties:**

- Does not leave a grey film
- Effective on heavily soiled areas
- Applicable cold or hot
- Removes oil, grease and soot deposits
- Highly concentrated
- Strong cleaning power
- Low foaming

1 liter	10 liters
Art. No.: SF10052	Art. No.: SF10052.1



## Insect Remover

Insect remover (high concentrate)

Insect Remover (High-Concentrate) is a specially developed cleaning agent for the gentle removal of insect remains on glass, coatings, chrome and plastic surfaces (solvent-free). The traditional formulation opens thick and hard residues even faster and softens them to allow gentle removal without exposing the surface to stress. Insect Remover (High-Concentrate) has been tested for paint and plastic compatibility. It is ideal as a pre-cleaner for car washing and also removes oil, grease and carbon black.

**Areas of application:**

- Cleaning of all types of vehicles
- Acryl glass / Polycarbonate
- Ideal for cleaning of servFaces-coated surfaces

**Properties:**

- Highly concentrated
- For paint and compatible with synthetic materials
- Suitable as a pre-cleaner
- Protects material

1 liter	10 liters
Art. No.: SF10053	Art. No.: SF10053.1



## Rims Cleaner

Brake dust & flash rust remover (high concentrate)

servFaces Rims Cleaner (High Concentrate) effortlessly removes brake dust and flash rust on all acid-resistant surfaces. It provides excellent protection for sensitive substrates, such as plastic, aluminum and painted surfaces, thanks to its unique formulation with a special additive for corrosion protection.

**Areas of application:**

- Painted surfaces
- Aluminum and steel rims
- Plastic hub caps

**Properties:**

- Material and paint friendly
- Time-saving
- Powerful and anti-corrosive
- Wide range of applications

1 liter	10 liters
Art. No.: SF10058	Art. No.: SF10059.1



## Allround Cleaner

All-purpose cleaner (high concentrate)

servFaces Allround Cleaner is a slightly alkaline, highly concentrated combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastics, without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into the surface structure and dissolves even the most stubborn dirt, such as oil, grease and nicotine residues. servFaces Allround Cleaner is also suitable for powerful and effective cleaning of all surfaces in buildings, public transport and much more.

### Areas of application:

- Car interiors
- Tiling, concrete and stone floors
- Furniture in public institutions
- Office buildings
- Trains and trams
- Industry and handicrafts
- Doors and windows

### Properties:

- Leaves no streaks
- Removes heavily soiled areas
- Applicable cold or hot
- Highly concentrated
- Strong cleaning power
- Biologically degradable
- Develops no toxic vapors
- Skin and environmentally friendly

1 liter	10 liters
Art. No.: SF10192	Art. No.: SF10192.1



## Special Cleaner Acidic

High-performance cleaner for acid-resistant surfaces (high concentrate)

Special Cleaner Acidic (High Concentrate) is an effective and very powerful high-performance cleaner for a wide range of applications. The Special Cleaner Acidic is a highly concentrated product with very strong dissolving power as well as anticorrosive properties. It effortlessly removes limescale and rust deposits on acid-resistant surfaces.

### Areas of application:

- Aluminum and steel rims
- Plastic hub caps
- Aluminum parts
- Heavy soiling on machines
- Ceramics and tiles
- Removes rust film

### Properties:

- Extremely high cleaning effects
- Very high dissolving power
- Material protective
- Removes the most stubborn dirt, such as limescale, rust films or brake dust
- Very easy to rinse
- Corrosion protection

1 liter	10 liters
Art. No.: SF10055	Art. No.: SF10056.1



## Special Cleaner Alkaline

High-performance cleaner for alkaline resistant surfaces (high concentrate)

Special Cleaner Alkaline (High Concentrate) is an effective and very powerful high-performance cleaner with a wide range of applications. Special Cleaner Alkaline (High Concentration) is highly concentrated and thanks to the very strong dissolving power it effortlessly removes synthetic resins, fatty acids, oil and grease residues as well as latex residues on alkaline resistant surfaces. Suitable for stainless steel and steel as well.

### Areas of application:

- Cleaning of stainless steel transport tanks
- Heavy soiling on machines
- Ceramics and tiles
- Lubricant and oil deposits on workshop floors

### Properties:

- Extremely powerful cleaning effects
- Very high dissolving power
- Biologically degradable
- Removes stubborn dirt
- Very easy to rinse off
- Highly alkaline

1 liter	10 liters
Art. No.: SF10056	Art. No.: SF10057.1



## Wash Concentrate

Car shampoo and cleaning concentrate (high concentrate)

servFaces Wash Concentrate is a very gentle and economical car shampoo for a wide range of applications. Wash Concentrate is highly concentrated and is excellent for gentle non-abrasive car washing. Gloss enhancement and consistent dirt dissolving power are obtained thanks to the added special care substances. Wash Concentrate is very suitable for gentle cleaning of servFaces-coated surfaces.

**Areas of application:**

- Passenger cars and trucks
- Motorcycles
- Campers
- Buses and transporters
- Boats
- Trains and trams

**Properties:**

- Silicone-free
- Skin-friendly
- Environmentally friendly
- Gloss enhancing
- Highly concentrated
- Strong cleaning power

1 liter	10 liters
Art. No.: SF10054	Art. No.: SF10054.1



## Sour Soap & Foam

Car shampoo and Snow Foam

servFaces Sour Soap & Foam is a slightly acidic, very gentle and powerful car shampoo and Snow foam for various applications. The highly concentrated combination of active ingredients enables fast washing that is gentle on the surface and removes light mineral deposits as well as normal dirt. Sour Soap & Foam is also excellent for gentle and powerful cleaning of surfaces coated with servFaces products. Regular washing prevents the formation of deposits and maintains the hydrophobic property of the coated surface.

**Areas of application:**

- Passenger cars and trucks
- Motorcycles
- Caravans
- Buses and transporters
- Boats
- Trains and tramways

**Properties:**

- Skin-friendly
- Environmentally-friendly
- Gloss enhancement
- Highly concentrated
- Strong cleaning power

1 liter	5 liters
Art. No.: SF10415	Art. No.: SF10415.1



## Shampoo PLUS

Car shampoo (high concentrate)

servFaces Shampoo PLUS is a very gentle but powerful car shampoo for a wide range of applications. The highly concentrated combination of active ingredients allows fast, non-abrasive washing. Shampoo PLUS creates a strong lubricating film on the surface to gently remove dirt from the paint surface. Shampoo PLUS is highly suited to gently and powerfully clean all types of servFaces-sealed surfaces without attacking them. By washing off dirt regularly, no deposits form and the hydrophobic property of the coated surface is maintained.

**Areas of application:**

- Passenger cars and trucks
- Motorcycles
- Caravans
- Buses and transporters
- Boats
- Trains and trams

**Properties:**

- Silicone-free
- Skin-friendly
- Environmentally-friendly
- Highly concentrated
- Strong cleaning power

1 liter	5 liters
Art. No.: SF10427	Art. No.: SF10427.1



## Fiber Wash

### Liquid detergent

servFaces Fiber Wash is a liquid detergent with anti-pilling effect and an ideal solution for cleaning and conserving valuable microfiber products. The specially tuned combination of various raw material components is characterized by no product wash residues being left on the fiber surface and thorough cleaning effects. This preserves the highly effective microfiber structure. The high dirt and moisture absorption effects of the microfiber products is not impaired by Fiber Wash in any way.

#### Areas of application:

- Microfiber cloths
- Car wash accessories (cleaning gloves & drying towel cloths)
- Polishing pads
- Polishing fleeces
- Applicators (sponge & microfiber)

#### Properties:

- Material protective
- Environmentally friendly
- Removes wax, silicone, polymers & polish residues
- Solvent & bleach free
- Anti-pilling effect



1 liter	10 liters
Art. No.: SF10281	Art. No.: SF10281.1





### Canister key

- Suitable for:
- 5 & 10 liter containers
  - 25 & 30 liter containers

For 5 & 10 liter containers	For 25 & 30 liter containers
Art. No.: SF10059	Art. No.: SF10059.3



### Faucet

- Suitable for:
- 5 & 10 liter containers
  - 25 & 30 liter containers

For 5 & 10 liter containers	For 25 & 30 liter containers
Art. No.: SF10060	Art. No.: SF10060.1



### Professional Hand Sprayer

1 liter – Hand Sprayer made of plastic with special FPM\*-seals for liquids with a ph value of 1 - 9.

Hand sprayer has a reliable hand pump and an adjustable nozzle so that it can be sprayed from a mist to a jet. The foot ring ensures optimum stability.

- Areas of application:**
- Cleaning work

- Properties:**
- Filling capacity: 1 liter
  - Container: plastic with filling scale
  - Gaskets: FPM\*
  - Empty weight: ca. 128 g
  - Nozzle: special nozzle made of plastic

1 liter - white / black / red
Art. No.: SF10457

\*FPM (Viton ®) = Fluorine Rubber  
FPM is a synthetic rubber used for the production of seals and o-rings. It has good resistance to hydrocarbons, oils, strong acids, AND automatic and chlorinecontaining solvents and has good temperature resistance.



### Professional Hand Sprayer

1 liter – Hand Sprayer made of plastic with special EPDM\*-seals for liquids with a ph value of 7 - 14.

Hand sprayer has a reliable hand pump and an adjustable nozzle so that it can be sprayed from a mist to a jet. The foot ring ensures optimum stability.

- Areas of application:**
- Cleaning work

- Properties:**
- Filling capacity: 1 liter
  - Container: plastic with filling scale
  - Gaskets: EPDM\*
  - Empty weight: ca. 128 g
  - Nozzle: special nozzle made of plastic

1 liter - white / black / blue
Art. No.: SF10456

\*EPDM = ethylene-propylene-serve rubber  
EPDM is a terpolymeres elastomer (rubber). Due to its elasticity it is suitable for the production of gaskets and o-rings. It is conditionally solvent resistant and has a considerable resistance to bases. In general, it has a low resistance to oil based hydrocarbons and fuels.



### Snow Foam Gun

Professional, high-pressure foam lance

The servFaces Snow Foam Gun produces a very powerful and stable foam for effortless cleaning of all surfaces, such as paint, glass, facades, or stone. Ideal for all types of vehicles, conservatories, garden furniture, patios, and much more.

- Eigenschaften:**
- Sprays dense foam up to 10 m
  - Thick foam
  - Allows for a variety of chemical dilutions
  - Stable, self-standing container
  - Innovative lance system

- Technical Data:**
- Capacity of tank: 1 liter
  - Materials: Plastic and Stainless Steel
  - Water jet distance: 3 - 6 m (max.: 10 m)
  - Working pressure: 150 - 180 bar
  - Fitting 1/4"
  - Weight: 619 g

Without Adapter
Art. No.: SF10463



## Clay & Clean

### Paint cleaning clay

Clay & Clean paint cleaning clay gently removes stubborn residues such as tar, rust, insect remains, and tree resin from vehicle paint. Clay & Clean creates a smooth, clean surface – ideal as preparation for further polishing and care steps.

#### Areas of application:

- Insect remains
- Tree resin from paint, metal, chrome and glass
- Tar
- Surface rust

#### Properties:

- Color: turquoise green
- Hardness: soft / medium-hard
- Multiple applications possible
- Grinding grade: fine

Art. No.:	Size:	Weight:	Content
SF10479	85 x 60 x 23 cm	200 g	1 Stück

## Clay Lube Concentrate

### Lubricant for paint cleaning clay



servFaces Clay Lube Concentrate is a highly concentrated lubricant concentrate for use with cleaning clay and cleaning pads. The product creates a highly effective lubricating film on the surface, which greatly reduces scratching. The product can be wiped off without leaving any residue and therefore does not leave a greasy film on the surface.

#### Areas of application:


- Glatte Oberflächen wie Lack, Glas, Chrom und Edelstahl

#### Properties:

- Highly concentrated
- Highly lubricating
- Does not dissolve cleaning clay
- Silicone-free

1 liter	Empty spray bottle
Art. No.: SF10481	Art. No.: SF10481.Z

# POLISHING MATRIX

	12 CUT / 4 GLOSS  <b>PRE-CUT</b>	10 CUT / 6 GLOSS  <b>HEAVY CUT</b>	8 CUT / 8 GLOSS  <b>MEDIUM CUT</b>
<b>POLISHING PADS TS SERIE</b>	 9 PRO  10 PRO	 8 PRO  9 PRO  10 PRO	 5 PRO  7 PRO  8 PRO
<b>POLISHING PADS V &amp; RT SERIE</b>	 V1 / RT V1  V2 / RT V2	 V1 / RT V1  V2 / RT V2	 V3 / RT V3
<b>HSC-TECHNOLOGY POLISHING PADS</b>	 HEAVY CUT	 HEAVY CUT	 HEAVY CUT  MEDIUM CUT  FINE CUT
<b>POLISHING WOOL PADS</b>	 V1  V2  V3   NATURAL PRO  HYBRID MAX  HYBRID PRO  SYNTEC EXTREME	 V1  V2  V3   NATURAL PRO  HYBRID MAX  HYBRID PRO  SYNTEC EXTREME	 V1  V2  V3   HYBRID MAX

**PAINT  
CONDITION**



Removes very deep scratches  
and sanding from grain size  
P1000 / P1500






Removes deep scratches  
and sanding from grain size  
P1200 / P2000



Removes light to medium  
scratches and sanding from  
grain size P2000



 <p>6 CUT      10 GLOSS</p> <p><b>FINE CUT</b></p>	 <p>3 CUT      12 GLOSS</p> <p><b>ULTRA FINE CUT</b></p>	 <p>8 CUT      11 GLOSS</p> <p><b>ONE CUT</b></p>
<p>3 PRO    5 PRO    7 PRO</p>	<p>3 PRO</p>	<p>5 PRO    7 PRO</p>
<p>V3 / RT V3</p>	<p>V3 / RT V3    V4 / RT V4</p>	<p>V3 / RT V3</p>
<p>MEDIUM CUT    FINE CUT</p>	<p>ULTRA FINE CUT</p>	<p>MEDIUM CUT    FINE CUT</p>
<p>—</p> <p>—</p>	<p>—</p> <p>—</p>	<p>—</p> <p>—</p>



Removes light to very light scratches and sanding from grain size P3000



Removes very fine scratches, holograms and sanding from grain size P6000



Removes light to medium scratches and sanding from grain size P2500



250 ml	1000 ml
Art. No.: SF10420	Art. No.: SF10420.1

## Pre-Cut

### Micro fine abrasive paste

servFaces Pre-Cut is a modern, highly efficient, silicone-free abrasive paste for quick reconditioning of heavily weathered paintwork and the removal of deep scratches. The polish effectively removes paint mist and sanding from grit size P1000. Due to the highly abrasive and very uniform grit, servFaces Pre-Cut produces an extremely high cut with a medium gloss level. With servFaces Pre-Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Pre-Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork – both soft and scratch-resistant.

**Grinding grade: 12,0**  
**Gloss level: 4,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P1000 / P1500



250 ml	1000 ml
Art. No.: SF10421	Art. No.: SF10421.1

## Heavy Cut

### Micro fine abrasive paste

servFaces Heavy Cut is a modern, silicone-free and efficient abrasive paste for quick refurbishment of heavily weathered paintwork and for the removal of deep scratches. The polish effectively removes paint mist and sanding from grit size P1200 upwards. Due to the highly abrasive and very uniform grit, servFaces Heavy Cut produces a high cut with a medium to high gloss grade. With servFaces Heavy Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Heavy Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork, both soft and scratch-resistant.

**Grinding grade: 10,0**  
**Gloss level: 6,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P1200 / P2000



250 ml	1000 ml
Art. No.: SF10422	Art. No.: SF10422.1

## Medium Cut

### Micro fine abrasive paste

servFaces Medium Cut is a modern, efficient, silicone-free polish for quick reconditioning of moderately weathered paintwork and for the removal of light scratches. The polish effectively removes paint mist and sanding from grit size P2000 upwards. Due to the highly abrasive and very uniform grit, servFaces Medium Cut produces a high cut with a high gloss grade. With servFaces Medium Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Medium Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork, both soft and scratch-resistant.

**Grinding grade: 8,0**  
**Gloss level: 8,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P2000



## Fine Cut

### Micro fine abrasive paste

servFaces Fine Cut is a modern, silicone-free and efficient polish for fast reconditioning of very lightly scratched paintwork. Due to the very uniform abrasive grit, the polish effectively removes sanding from grit P3000 and above and quickly removes surface scratches, e.g. from car washes and other similar signs of use with a high-gloss and hologram-free finish. With servFaces Fine Cut you can polish for an extremely long time with little dust and spattering without the polish burning in. servFaces Fine Cut is very easy to wipe off with the Premium Buffing Towel and is excellent for all types of paintwork - both soft and scratch-resistant.

**Grinding grade: 6,0**  
**Gloss level: 10,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P3000

250 ml	1000 ml
Art. No.: SF10423	Art. No.: SF10423.1



## Ultra Fine Cut

### Micro fine abrasive paste

servFaces Ultra Fine Cut is a silicone-free micro polishing agent. It is highly suited to permanent removal of very fine scratches, polishing smears, holograms and sanding from grit size P6000 on all paint systems. Thanks to its special high-performance grinding particles, the polish is also ideally suited to scratch-resistant clear coats. By using special, highly homogeneous abrasives, an excellent and durable high-gloss finish is achieved. This brilliant sanding result can even be achieved on dark and similarly sensitive shades and under extreme light conditions. Holograms and fine scratches are removed mechanically as the polish has no filling properties. Ultra Fine Cut can be removed without leaving any residue and is very economical.

**Grinding grade: 3,0**  
**Gloss level: 12,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P6000

250 ml	1000 ml
Art. No.: SF10424	Art. No.: SF10424.1



## ONE Cut

### Micro fine abrasive paste incl. sealing

servFaces ONE Cut is a silicone-free polish for professional reconditioning of lightly to moderately scratched painted surfaces in one step. Thanks to its special high-performance abrasive particles, the polish is also ideally suited to scratch-resistant clear coats. It quickly removes medium surface scratches and sanding from grit P2500 or other similar signs of use with a high-gloss and hologram-free finish. ONE Cut is ideally suited to the quick preparation of painted surfaces, such as the preparation of used sales vehicles. Thanks to the integrated sealing components, it additionally protects the paint surface, which is why no further work step is required.

**Grinding grade: 8,0**  
**Gloss level: 11,0**

#### Areas of application:

- Suitable for paints on cars, motorcycles, commercial vehicles, etc.
- Effectively removes paint mist and sanding from grit size P2500

250 ml	1000 ml
Art. No.: SF10425	Art. No.: SF10425.1



## Vitro Polish

Cleaning polish for glass surfaces

Vitro Polish is a specially developed cleaning polish for deep-pore cleaning of glass surfaces. The product effortlessly removes mineral deposits such as lime and in this way provides a clean surface. This cleaning procedure is absolutely essential to achieving 100 % adhesion of our glass sealants.

**Areas of application:**

- Glass surfaces

**Properties:**

- Quick cleaning effects
- Acid-free
- Material protective

150 ml
<b>Art. No.:</b> SF10209



## Metal Polish

Grinding paste

Silicone-free grinding paste with specially developed high-performance particles for the greatest cleaning and grinding effects. Metal Polish quickly and effectively removes dirt, rust, damaged or dulled areas from all metal surfaces, such as chrome, stainless steel, aluminum, copper and brass, without scratching the surface.

PLEASE NOTE: Do not use on coated or painted metal parts, chrome-plated plastic parts or rough metal surfaces.

**Grinding grade: 8**

**Gloss grade: 9**

**Properties:**

- Maximum high polish with maximum material preservation
- Simple application

150 ml	500 ml
<b>Art. No.:</b> SF10265	<b>Art. No.:</b> SF10265.2



## Vitro Polishing Pads

Specially designed polishing pads for glass surfaces

The specially designed Vitro polishing pad is ideal for polishing glass surfaces. The special composite structure between the fur and rubber sponge guarantees the best polishing properties and ensures maximum abrasiveness when polishing clean glass surfaces. Ideal for use on rotary and eccentric polishers.

<b>Art. No.:</b>	<b>Size:</b>
SF10257	Ø 80mm
SF10257.1	Ø 130mm
SF10257.2	Ø 155mm



## HSC Heavy Cut Polishing Sponge

The HSC – Heavy Cut polishing sponge is extremely stable in shape due to its special foam structure and retains its polishing performance even during long polishing times. This makes the polishing sponge very durable, efficient and sustainable. It is especially suitable for removing deep scratches and paint defects on heavily weathered paint surfaces.

**Properties:**

- Polishing Sponge for Orbital and rotary polishers
- HSC-Technology: Heat, Shape and permanent Cutting Performance Technology
- Color: grau
- Degree of hardness: Very hard
- Recommended grinding pastes: Pre-Cut, Heavy Cut, Medium Cut

Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10430	Ø 90 mm, 22 mm thick	Ø 80 mm	Ø 15 mm
SF10430.1	Ø 140 mm, 22 mm thick	Ø 130 mm	Ø 20 mm
SF10430.2	Ø 160 mm, 22 mm thick	Ø 155 mm	Ø 25 mm



## HSC Medium Cut Polishing Sponge

The HSC – Medium Cut polishing sponge is extremely stable in shape due to its special foam structure and retains its polishing performance even during long polishing times. This makes the polishing sponge very durable, efficient and sustainable. It is especially suitable for removing light to medium scratches and paint defects on slightly weathered or new paint surfaces and creates a very beautiful finish.

**Properties:**

- Polishing Sponge for Orbital and rotary polishers
- HSC-Technology: Heat, Shape and permanent Cutting Performance Technology
- Color: red
- Degree of hardness: Medium hard
- Recommended grinding pastes: Medium Cut, Fine Cut, ONE Cut

Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10431	Ø 90 mm, 22 mm thick	Ø 80 mm	Ø 15 mm
SF10431.1	Ø 140 mm, 22 mm thick	Ø 130 mm	Ø 20 mm
SF10431.2	Ø 160 mm, 22 mm thick	Ø 155 mm	Ø 25 mm



## HSC Fine Cut Polishing Sponge

The HSC – Fine Cut polishing sponge is extremely stable in shape due to its special foam structure and retains its polishing performance even during long polishing times. This makes the polishing sponge very durable, efficient and sustainable. It is especially suitable for removing light to medium scratches and paint defects on slightly weathered or new paint surfaces and creates a very beautiful finish.

**Properties:**

- Polishing Sponge for Orbital and rotary polishers
- HSC-Technology: Heat, Shape and permanent Cutting Performance Technology
- Color: blue
- Degree of hardness: Medium hard
- Recommended grinding pastes: Medium Cut, Fine Cut, Ultra Fine Cut, ONE Cut

Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10432	Ø 90 mm, 22 mm thick	Ø 80 mm	Ø 15 mm
SF10432.1	Ø 140 mm, 22 mm thick	Ø 130 mm	Ø 20 mm
SF10432.2	Ø 160 mm, 22 mm thick	Ø 155 mm	Ø 25 mm



## HSC Ultra Fine Cut Polishing Sponge

The HSC – Ultra Fine Cut polishing sponge is extremely stable in shape due to its special foam structure and retains its polishing performance even during long polishing times. This makes the polishing sponge very durable, efficient and sustainable. It is especially suitable for finishing work on new and pre-treated painted surfaces. It creates a very beautiful finish with a high level of gloss. Ideal for removing light holograms after paint preparation work.

**Properties:**

- Polishing Sponge for Orbital and rotary polishers
- HSC-Technology: Heat, Shape and permanent Cutting Performance Technology
- Color: anthracite
- Degree of hardness: very soft
- Recommended grinding pastes: Ultra Fine Cut

Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10433	Ø 90 mm, 22 mm thick	Ø 80 mm	Ø 15 mm
SF10433.1	Ø 140 mm, 22 mm thick	Ø 130 mm	Ø 20 mm
SF10433.1	Ø 160 mm, 22 mm thick	Ø 155 mm	Ø 25 mm



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10470	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10470.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10470.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

## Polishing Pad TS 3 PRO

The TS 3 PRO polishing pad is specifically designed for use with orbital polishers. The lightly abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing fine micro-scratches and holograms. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

**Properties:**

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: light blue
- Recommended grinding pastes: Medium Cut, Fine Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10469	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10469.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10469.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

## Polishing Pad TS 5 PRO

The TS 5 PRO polishing pad is specifically designed for use with orbital polishers. The medium to fine abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium to fine scratches and paint defects on lightly weathered and used paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

**Properties:**

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: orange
- Recommended grinding pastes: Medium Cut, Fine Cut



Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10468	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10468.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10468.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

## Polishing Pad TS 7 PRO

The TS 7 PRO polishing pad (dark blue) is specifically designed for use with orbital polishers. The medium abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium scratches and paint defects on lightly weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

**Properties:**

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: dark blue
- Recommended grinding pastes: Medium Cut, Fine Cut



## Polishing Pad TS 8 PRO

The TS 8 PRO polishing pad is specifically designed for use with orbital polishers. The medium abrasive and open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing medium scratches and paint defects on lightly weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10467	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10467.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10467.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

### Properties:

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: dark red
- Recommended grinding pastes: Heavy Cut, Medium Cut



## Polishing Pad TS 9 PRO

The TS 9 PRO polishing pad is specifically designed for use with orbital polishers. This coarse, highly abrasive, open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing deep scratches and paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10466	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10466.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10466.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

### Properties:

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: green
- Recommended grinding pastes: Pre-Cut, Heavy Cut



## Polishing Pad TS 10 PRO

The TS 10 PRO polishing pad is specifically designed for use with orbital polishers. This coarse, highly abrasive, open-cell polishing sponge is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly suitable for removing deep scratches and paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable structure, the polishing sponge maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable.

Art. No.:	Sponge Size:	Velour size:	Mounting hole:
SF10465	Ø 100 mm, 22 mm hoch	Ø 80 mm	Ø 15 mm
SF10465.1	Ø 150 mm, 22 mm hoch	Ø 130 mm	Ø 22 mm
SF10465.2	Ø 170 mm, 22 mm hoch	Ø 155 mm	Ø 22 mm

### Properties:

- Polishing pad for free-spinning and gear-driven orbital polishers
- Open-cell
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing
- Color: grey
- Recommended grinding pastes: Pre-Cut, Heavy Cut



Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10064	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10064.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10064.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10064.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10064.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm

### Polishing pad V1

Polishing pad V1 (grey / yellow) is designed especially for use with orbital polishers. This coarse, highly abrasive and open-celled polishing pad can be combined with a variety of grinding pastes, therefore, it is universally applicable. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

**Properties:**

- Grey / Yellow
- Hard
- Open-celled, highly abrasive
- Recommended grinding pastes: Cut Polish, Finish Polish
- Trapezium



Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10066	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10066.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10066.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10066.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10066.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm

### Polishing pad V2

Polishing pad V2 (grey/grey) is specially designed for use with orbital polishers. The coarse, very abrasive and open-celled polishing pad is useable with many grinding pastes for heavily weathered coated surfaces or removing deep scratches and paint defects!

**Properties:**

- Grey
- Hard
- Very abrasive, open-celled
- Recommended grinding pastes: Cut Polish, Finish Polish
- Trapezium



Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10065	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10065.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10065.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10065.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10065.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm

### Polishing pad V3

Polishing pad V3 (grey/blue) is specially designed for use with orbital polishers. The medium-strength, slightly abrasive and open-celled polishing pad is useable with many grinding pastes for moderately weathered or brand new coated surfaces. It creates a very attractive finish with a high gloss.

**Properties:**

- Grey/Blue
- Medium
- Open-celled, slightly abrasive
- Recommended grinding pastes: Cut Polish, Finish Polish, Ultra Fine Polish
- Trapezium



Art. No.:	Pad size:	Velour size:	Drilling cooling sizes:
SF10067	Ø 50 mm, 22 mm thick	Ø 40 mm	
SF10067.1	Ø 65 mm, 22 mm thick	Ø 55 mm	
SF10067.2	Ø 88 mm, 22 mm thick	Ø 80 mm	Ø 20 mm
SF10067.3	Ø 136 mm, 22 mm thick	Ø 127 mm	Ø 20 mm
SF10067.4	Ø 160 mm, 30 mm thick	Ø 150 mm	Ø 24 mm

### Polishing pad V4

Polishing pad V4 (black/orange) is specially designed for use with orbital polishers. The very soft and fine-celled polishing pad is useable for finishing work for brand new and pre-treated coated surfaces. It creates a very attractive finish with a high gloss. Ideal for removing minor holograms after polishing.

**Properties:**

- Black/Orange
- Soft
- Very soft, fine-celled and open-celled
- Recommended grinding pastes: Finish Polish, Ultra Fine Polish
- Trapezium



## Polishing pad RT / V1

Polishing pad RT / V1 (yellow) is developed specially for use with rotary polishers. This coarse, highly abrasive and open-celled polishing pad can be combined with a variety of grinding pastes, therefore, its use is universal. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

**Properties:**

- Yellow
- Hard
- Open-celled, highly abrasive
- Recommended grinding pastes: Cut Polish, Finish Polish
- Round

Art. No.:	Pad size:	Velour size:	Content:
SF10349.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10349.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10349.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces



## Polishing pad RT / V2

Polishing pad RT / V2 (grey) is developed specially for use with rotary polishers. This coarse, very abrasive and open-celled polishing pad can be combined with a variety of grinding compounds, therefore, its use is universal. It is particularly suitable for removing deep scratches and paint defects on heavily weathered coated surfaces.

**Properties:**

- Grey
- Hard
- Open-celled, very abrasive
- Recommended grinding pastes: Cut Polish, Finish Polish
- Round

Art. No.:	Pad size:	Velour size:	Content:
SF10350.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10350.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10350.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces



## Polishing pad RT / V3

Polishing pad RT / V3 (blue) is developed specially for use with rotary polishers. This medium-strength, moderately abrasive polishing pad can be combined with a variety of grinding pastes, hence its use is universal. It is particularly suitable for moderately weathered or brand new coated surfaces.

**Properties:**

- Blue
- Medium
- Open-celled, lightly abrasive
- Recommended grinding pastes: Cut Polish, Finish Polish, Ultra Fine Polish
- Round

Art. No.:	Pad size:	Velour size:	Content:
SF10351.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10351.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10351.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces



## Polishing pad RT / V4

Polishing pad RT / V4 (black) is developed specially for use with rotary polishers. This very soft and fine-celled polishing pad is universally applicable and suitable for finishing work on brand new and pretreated coated surfaces. It provides a very attractive finish with a high gloss grade and removes slight holograms after grinding.

**Properties:**

- Black
- Soft
- Fine-celled
- Recommended grinding pastes: Finish Polish, Ultra Fine Polish
- Round

Art. No.:	Pad size:	Velour size:	Content:
SF10352.2	Ø 93 mm, 14 mm thick	Ø 80 mm	2 pieces
SF10352.3	Ø 135 mm, 14 mm thick	Ø 125 mm	2 pieces
SF10352.4	Ø 160 mm, 14 mm thick	Ø 150 mm	2 pieces



## Test set polishing pads RT / V1, V2, V3, V4 (1 piece each)

servFaces Premium Polishing pad RT - for rotary polishers.  
Test set with 1 piece each: V1, V2, V3, V4

**Recommended microfine abrasive pastes:**

- Cut-Polish & Finish Polish

**Properties:**

- Round

Art. No.:	Pad size:	Velour size:	Content:
SF10176.2	Ø 93 mm, 14 mm thick	Ø 80 mm	4 pieces
SF10176.3	Ø 135 mm, 14 mm thick	Ø 125 mm	4 pieces
SF10176.4	Ø 160 mm, 14 mm thick	Ø 150 mm	4 pieces



## Lambskin pad V1

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30-35% with a fiber density of approximately 24,000 fibers/cm<sup>2</sup> (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes..

**Recommended microfine abrasive pastes:**

- Pre-Cut, Heavy Cut, Medium Cut

**Properties:**

- caramel / heavy cut for hard paints
- rounded shape

Art. No.:	Lambskin pad size:
SF10200	Ø 55 mm, 17 mm thick
SF10200.1	Ø 80 mm, 17 mm thick
SF10200.2	Ø 130 mm, 17 mm thick
SF10200.3	Ø 155 mm, 17 mm thick



## Lambskin pad V2

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30- 35% with a fiber density of approximately 24,000 fibers/cm<sup>2</sup> (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes.

**Recommended microfine abrasive pastes:**

- Pre-Cut, Heavy Cut, Medium Cut

**Properties:**

- white / medium cut for normal paint
- rounded shape

Art. No.:	Lambskin pad size:
SF10201	Ø 55 mm, 17 mm thick
SF10201.1	Ø 80 mm, 17 mm thick
SF10201.2	Ø 130 mm, 17 mm thick
SF10201.3	Ø 155 mm, 17 mm thick



Art. No.:	Lambskin pad size:
SF10202	Ø 55 mm, 17 mm thick
SF10202.1	Ø 80 mm, 17 mm thick
SF10202.2	Ø 130 mm, 17 mm thick
SF10202.3	Ø 155 mm, 17 mm thick

## Lambskin pad V3

servFaces lambskin polishing pads are for use with rotary polishers and are of the highest quality, they contain a fat content of 30- 35% with a fiber density of approximately 24,000 fibers/cm2 (54s) The conical fiber structure provides a very gentle polishing effect without damaging the paint surface or creating micro scratches. The level of lambskin quality guarantees the best polishing results in combination with the servFaces polishing pastes.

### Recommended microfine abrasive pastes:

- Pre-Cut, Heavy Cut, Medium Cut

### Properties:

- grey / soft cut for soft paints
- rounded shape



Art. No.:	Pad size:	Velour size:	Mounting hole:
SF10471	Ø 100 mm, 19 mm hoch	Ø 80 mm	Ø 15 mm
SF104716.1	Ø 150 mm, 19 mm hoch	Ø 130 mm	Ø 22 mm

## Wool Pad NATURAL PRO

The NATURAL PRO wool pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive natural wool fiber is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

### Recommended grinding past:

- Pre-Cut, Heavy Cut

### Properties:

- Natural wool fiber
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing



Art. No.:	GPad size:	Velour size:	Mounting hole:
SF10472	Ø 100 mm, 19 mm hoch	Ø 80 mm	Ø 15 mm
SF104712.1	Ø 150 mm, 19 mm hoch	Ø 130 mm	Ø 22 mm

## Wool Pad HYBRID MAX

The HYBRID MAX wool pad is specifically designed for use with orbital polishers. The highly abrasive blend of natural and synthetic wool fibers is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

### Recommended grinding pastes:

- Pre-Cut, Heavy Cut, Medium Cut

### Properties:

- Natural & synthetic wool fibers
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing



Art. No.:	Pad size:	Velour size:	Mounting hole:
SF10473	Ø 100 mm, 19 mm hoch	Ø 80 mm	Ø 15 mm
SF104713.1	Ø 150 mm, 19 mm hoch	Ø 130 mm	Ø 22 mm

### Wool Pad HYBRID PRO

The HYBRID PRO wool pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive blend of natural and synthetic wool fibers is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the wool pad highly durable, efficient, and sustainable in use.

#### Recommended grinding pastes:

- Pre-Cut, Heavy Cut

#### Properties:

- Natural & synthetic wool fibers
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing



Art. No.:	Pad size:	Velour size:	Mounting hole:
SF10474	Ø 100 mm, 19 mm hoch	Ø 80 mm	Ø 15 mm
SF104714.1	Ø 150 mm, 19 mm hoch	Ø 130 mm	Ø 22 mm

### Polishing Pad SYNTEC EXTREME

The SYNTEC EXTREME polishing pad is specifically designed for use with both orbital and rotary polishers. The highly abrasive synthetic fiber is compatible with a variety of polishes, making it a versatile all-rounder. It is particularly effective for removing very deep scratches and severe paint defects on heavily weathered paint surfaces. Thanks to its dimensionally stable foam interface layer, the pad maintains its polishing performance even during extended polishing sessions. This makes the polishing pad highly durable, efficient, and sustainable in use.

#### Recommended grinding pastes:

- Pre-Cut, Heavy Cut

#### Properties:

- Special synthetic fiber
- Dimensionally stable under heat
- Reinforced, 2-layer hook-and-loop velour backing





## Polishing Plate PUR Foam Soft

Thread: M14

Polishing plate with velcro adhesion. Fits on all polishing machines with M14 thread receptacle. With soft polyurethane foam pad for excellent flexibility and ease of use.

**Properties:**

- Soft foam
- Thread: M14

Art. No.:	Size:	Thread:	Content:
SF10094	Ø 30 mm, 24 mm thick	M14	1 piece
SF10094.1	Ø 50 mm, 24 mm thick	M14	1 piece
SF10094.2	Ø 75 mm, 24 mm thick	M14	1 piece
SF10094.3	Ø 123 mm, 28 mm thick	M14	1 piece
SF10094.4	Ø 148 mm, 30 mm thick	M14	1 piece



## Polishing Plate Foam Ultra Soft

Thread: M14 or 5/8"

Professional polishing plate with velcro adhesion. Fits all polishing machines with M14 and 5/8" thread receptacle. The support plate uses a special 2-layer foam for excellent flexibility and ease of use. The support plate adapts optimally to uneven surfaces.

**Properties:**

- Extremely soft foam
- Thread: M14 or 5/8"

Art. No.:	Size:	Thread:	Content:
SF10096	Ø 75 mm, 26 mm thick	M14	1 piece
SF10096.1	Ø 123 mm, 26 mm thick	M14	1 piece
SF10096.2	Ø 148 mm, 26 mm thick	M14	1 piece
SF10096.3	Ø 75 mm, 26 mm thick	5/8"	1 piece
SF10096.4	Ø 123 mm, 26 mm thick	5/8"	1 piece
SF10096.5	Ø 148 mm, 26 mm thick	5/8"	1 piece



## M14 x 80 mm Extension (stainless steel)

Special extension for rotary polishers

With this special extension, you can easily reach areas that are difficult to access and thus polish to high gloss.

You can connect a maximum of 3 extensions together to a length of 240 mm.

M14 x 80mm
Art. No.: SF10144

# PERMANENT SURFACE COATINGS

## WHY SEALING?



### PROTECTIVE FILM

Long-term protection from environmental influences, such as bird droppings and insects, for example.



### MATERIAL PROTECTION

Surfaces permanently retain their original appearance



### EASY-TO-CLEAN

Less cleaning effort. Dirt and water are repelled from the surface.



### SUSTAINABILITY

Reduced use of cleaning chemicals harmful to the environment



## NON-STICK PROTECTIVE LAYER

- layer 4
- layer 3
- layer 2
- layer 1

painted surface

# SERVFACES EFFECT

servFaces coatings are designed to provide optimum and permanent protection of surfaces. The high-performance particles chemically bond to the surface and cover the pores. They form a very thin non-stick protective film after curing. This surface optimization is resistant to temperatures up to 1,090°C and protects the material from damage caused by oxidation, salts, acids and insects.

Furthermore, it confers water and dirt-repellent properties to the material. Cleaning effort will therefore be greatly reduced in subsequent car washing and use of cleaning chemicals harmful to the environment. Not only does this protect the material, but also the environment and valuable resources.



## DIVERSE AREAS OF APPLICATION

### AUTOMOTIVE

Environmental influences contaminate the interiors and exteriors of vehicles every day. Sometimes, paint comes off or upholstery becomes stained. With surface optimization from servFaces, your car remains protected all around for safe clean pleasure in driving.



### CARAVAN

Food, drinks, salt water, UV rays, bird droppings or insect residue put a strain on surfaces in and on the caravan. With our coatings, awnings, seats, upholstery and exterior surfaces can be permanently protected and are much easier to clean. This will save you valuable time on final cleaning after your trip.



## REAL ESTATE

Villa, apartment or town house? Home is where the heart is. Housing interiors and exteriors must be kept in good shape and maintained in top condition. servFaces products ensure low cleaning effort with maximum protection.



## YACHT

Salty sea air quickly damages materials used to manufacture ships, boats, yachts and other sea vessels. The innovative surface optimisation technology on offer from servFaces will ensure that all surfaces have all round protection from the elements, contamination and everyday wear and tear.



## AVIATION

Safety and comfort are the first priority for aircraft passengers. servFaces surface coatings provide excellent service. The dirt and ice adhering to exterior areas will be reduced. They protect the interior from staining and discoloration.



## Surface Cleaner Ultima

servFACES surface cleaning before sealing/coating

Surface Cleaner Ultima and Surface Cleaner Neutra are part of the 2-stage cleaning concept specially developed for pre-cleaning of smooth surfaces before sealing. Cleaning using both cleaning agents is absolutely essential to obtain a clean and neutral surface before you proceed with sealing or coating. The cleaning process ensures optimum adhesion and interconnectedness of the individual coating products with the surface to be sealed.

**Areas of application:**

- Painted surfaces
- Metals
- Plastics
- Glass surfaces
- Polished stone surfaces
- Acryl glass
- Ceramics

**Properties:**

- Silicone-free
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface

500 ml	1000 ml	5000 ml
Art. No.: SF10022	Art. No.: SF10022.1	Art. No.: SF10022.2



## Surface Cleaner Neutra

servFACES surface cleaning before sealing/coating

Surface Cleaner Ultima and Surface Cleaner Neutra are part of the 2-stage cleaning concept specially developed for pre-cleaning of smooth surfaces before sealing. Cleaning using both cleaning agents is absolutely essential to obtain a clean and neutral surface before you proceed with sealing or coating. The cleaning process ensures optimum adhesion and interconnectedness of the individual coating products with the surface to be sealed.

**Areas of application:**

- Painted surfaces
- Metals
- Plastics
- Glass surfaces
- Polished stone surfaces
- Acryl glass
- Ceramics

**Properties:**

- Silicone-free
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface

500 ml	1000 ml	5000 ml
Art. No.: SF10023	Art. No.: SF10023.1	Art. No.: SF10023.2



## Textil Cleaner

Surface cleaning before sealing / coating

servFACES Textil Cleaner is a specially developed cleaning agent suited for sealers to follow. The cleaning process with the respective product is absolutely essential to achieve a clean and neutral surface, before you start sealing/coating various surfaces. The cleaning process provides optimum adhesion and interconnectedness of individual products.

**Areas of application:**

- Interior textile
- Convertible rooftops
- Natural-finish plastic materials

**Properties:**

- Silicone-free
- Skin friendly
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface

500 ml	1000 ml	5000 ml
Art. No.: SF10024	Art. No.: SF10024.1	Art. No.: SF10024.2



## Leather Cleaner

Surface cleaning before sealing / coating

servFACES Leather Cleaner is a specially developed cleaning agent suited for sealers to follow. The cleaning process with the respective product is absolutely essential to achieve a clean and neutral surface, before you start sealing/coating various surfaces. The cleaning process provides optimum adhesion and interconnectedness of individual products.

**Areas of application:**

- Smooth leather
- Suede leather & buckskin

**Properties:**

- Silicone-free
- Skin friendly
- Environmentally friendly
- Cleans without streaking
- Highly concentrated
- Strong cleaning power
- Economical
- Neutralizes the surface

500 ml	1000 ml	5000 ml
Art. No.: SF10025	Art. No.: SF10025.1	Art. No.: SF10025.2



## Coat Ultima - HSH Technology

Permanent paint coating for modern paint systems

„Coat Ultima - HSH Technology“ is one of servFaces´ most powerful hybrid silicon / polymer hard coatings, designed to provide optimum and permanent protection to coated surfaces. Its molecular matrix structure forms a very thin non-stick layer with extreme dirt-repellency, resilience and hardness. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles in Coat Ultima - HSH Technology chemically bond to the surface and lie over the coating pores. They form a protective high-gloss coat after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt and insects.

**Areas of application:**

- Modern paint systems with transparent coating
- Gloss & matte coatings
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

**Properties:**

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally stable
- Easy-to-clean surfaces
- Unique gloss & color depth
- Resistant to temperatures from -50°C to +890°C

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10004	Art. No.: SF10004.1	Art. No.: SF10004.2	Art. No.: SF10004.3

**Scope of delivery 50 ml and 100 ml Set:**

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1,000 ml and 5,000 ml:**

No accessories included



**Lifetime:**

One layer: Approx. 30 – 36 months  
Each additional layer enhances the lifetime by a further 9 – 12 months.

## ProCoat - HSH Technology

Permanent paint coating for modern paint systems



servFaces ProCoat - HSH Technology is a hybrid-silicon/polymer hard coating designed to provide optimum and permanent protection of painted surfaces. Its molecular matrix structure forms a very thin non-stick layer which is extremely dirt-repellent, resilient and hard. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles of ProCoat - HSH Technology chemically bond to the surface and cover the paint pores to form a high-gloss protective film after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt, acids and insects.

**Areas of application:**

- Paint systems without transparent coat
- Modern paint systems with transparent coat
- Gloss and matte coatings
- Solvent stable car wrap & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

**Properties:**

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally stable
- Easy-to-clean surfaces
- Unique gloss & color depth
- Resistant to temperatures from -50°C to +890°C

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10177	Art. No.: SF10177.1	Art. No.: SF10177.2	upon request

**Scope of delivery 50 ml and 100 ml Set:**

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1,000 ml and 5,000 ml:**

No accessories included



**Lifetime:**

One layer: Approx. 24 – 30 months  
Each additional layer enhances the lifetime by a further 8 – 9 months.



## Suave - HSH Technology

Permanent paint coating for modern paint systems

Suave - HSH Technology is a hybrid polymer hard coating designed to provide optimum and permanent protection for coated surfaces. Its molecular matrix structure forms a very thin non-stick layer which is extremely dirt-repellent, resilient and hard. This protective coating greatly enhances the gloss and color of the coated surface.

The high-performance particles of Suave - HSH Technology chemically bond to the surface and cover the coating pores. They form a protective high-gloss coat after curing. This very simple type of surface optimization protects paint from damage caused by oxidation, salt, acids and insects.

### Areas of application:

- Paint systems without transparent coat
- Modern paint systems with transparent coat
- Gloss and matte coatings
- Rims (painted and/or powder-coated)
- Solvent stable car wrap & splinter protection films
- Untreated plastic surfaces

### Properties:

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally stable
- Easy-to-clean surfaces
- Unique gloss & color depth
- Resistant to temperatures from -50°C to +690°C

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10005	Art. No.: SF10005.1	Art. No.: SF10005.2	upon request

### Scope of delivery 50 ml and 100 ml Set:

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

### Scope of delivery 1,000 ml and 5,000 ml:

No accessories included



### Lifetime:

One layer: Approx. 18 – 24 months  
Each additional layer enhances the lifetime by a further 6 – 7 months.

## 365 // Spray Coat

Hybrid spray sealant



servFaces 365 // Spray Coat is a hybrid spray sealant. The product is excellent for all painted surfaces on automobiles, motorcycles, campers and exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results with intensive color rejuvenation.

It binds directly to the paint molecules, improves the surface dirt-repellent properties and forms a very thin, water-repellent protective film.

The very simple and quick application offers a broad area of applications suitable for professional as well as private users.

### Areas of application:

- All painted surfaces on automobiles, motorcycles, campers and exterior surfaces of yachts

### Properties:

- Powerful water-repellent effects
- Enhanced gloss and smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption
- Silicone oil-free

75 ml
Art. No.: SF10278.1



### Lifetime:

One layer: up to 365 days  
To obtain a greater protection layer, an additional layer can be applied after 30 – 60 minutes.

New



## Coat Ultima - PSR Technology

Permanent paint coating for modern paint systems

Coat Ultima – PSR-Technology, based on the latest polymer SiO2 resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paintwork more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention.

The gloss guarantee is 5 - 10 years when used professionally!

50 ml	100 ml	1000 ml
Art. No.: SF10460	Art. No.: SF10460.1	Art. No.: SF10460.2

**Scope of delivery 50 ml Set:** 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet

**Scope of delivery 100 ml Set:** 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet

**Scope of delivery 1000 ml:** no accessories included



**Lifetime:**

One layer: Approx. 42 months  
Each additional layer enhances the lifetime by a further 9 – 12 months.

**Areas of application:**

- Modern paint systems with transparent coating
- Gloss & matte coatings
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

**Properties:**

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13.5)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C - +890°C
- Corrosion prevention
- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply

New



## ProCoat - PSR Technology

Permanent paint coating for modern paint systems

ProCoat – PSR-Technology, based on the latest polymer SiO2 resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paint more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention.

The gloss guarantee is 4 - 5 years when used professionally!

50 ml	100 ml	1000 ml
Art. No.: SF10177	Art. No.: SF10177.1	Art. No.: SF10177.2

**Scope of delivery 50 ml Set:** 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet

**Scope of delivery 100 ml Set:** 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet

**Scope of delivery 1000 ml:** no accessories included



**Lifetime:**

One layer: Approx. 36 months  
Each additional layer enhances the lifetime by a further 8 – 9 months.

**Areas of application:**

- Paint systems without transparent coat
- Modern paint systems with transparent coating
- Gloss & matte coatings
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

**Properties:**

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13.5)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C – +890°C
- Corrosion prevention
- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply

New



## Suave - PSR Technology

Permanent paint coating for modern paint systems

Suave – PSR-Technology, based on the latest polymer SiO<sub>2</sub> resin technology from servFaces, forms an extremely resistant, glass-like, and highly flexible protective layer after curing, which permanently protects vehicle paintwork and enhances its appearance. The surface becomes significantly glossier and takes on a visibly deeper color effect, giving the paintwork more depth and brilliance – for a permanently high-quality finish.

The coated surface becomes noticeably more scratch-resistant, more resistant to chemicals and temperature changes, and extremely resistant to UV radiation and environmental influences. This effectively protects the paint surface from corrosion, abrasion, and the damaging effects of external influences. At the same time, the creation of micro-scratches is noticeably reduced – for a permanently well-maintained, high-quality look and optimal value retention.

The gloss guarantee is 3 years when used professionally!

50 ml	100 ml	1000 ml
Art. No.: SF10462	Art. No.: SF10462.1	Art. No.: SF10462.2

**Scope of delivery 50 ml Set:** 1 x Applicator, 2 x Application cloth, 2 x Coating Booklet, 2x servFaces sticker, 1 x Application Booklet

**Scope of delivery 100 ml Set:** 2 x Applicator, 4 x Application cloth, 4 x Coating Booklet, 4x servFaces sticker, 1 x Application Booklet

**Scope of delivery 1000 ml:** no accessories included



**Lifetime:**

One layer: Approx. 24 months  
Each additional layer enhances the lifetime by a further 6 – 7 months.

**Areas of application:**

- Paint systems without transparent coat
- Modern paint systems with transparent coating
- Gloss & matte coatings
- Rims (painted and/or powder-coated)
- Solvent stable Car Wrap- & splinter protection films
- Untreated plastic surfaces (Recommendation: Plastic Coat)

**Properties:**

- PFAS-free
- Reduction of micro-scratches
- Resistant to cleaning agents & environmental influences (pH 1 – 13)
- UV resistant & environmentally stable
- Resistant to temperatures of -50°C – +690°C
- Corrosion prevention
- Water and dirt repellent (easy-to-clean effect)
- Glossy surface with enhanced color depth
- Long-lasting protection
- Preservation of paint value
- Simple to apply





50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10006	Art. No.: SF10006.1	Art. No.: SF10006.2	upon request

**Scope of delivery 50 ml and 100 ml Set:**

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1,000 ml and 5,000 ml:**

No accessories included



**Lifetime:**

One layer: Approx. 30 – 36 months (manual washing) Each additional layer enhances the lifetime by a further 8 – 9 months.

## Ceramic Coat Rims

Surface coating for various types of rims

The transparent and high-strength surface coating of the servFaces line is a diverse and unique quality product for rim coating on all vehicles. It offers optimum protection on painted and unpainted surfaces of rims with enormous gloss enhancement.

The highly-transparent coating forms a long-lasting protective film resistant to dirt and easy to clean with minimum consumption. Ceramic Coat Rims is also resistant to temperatures up to +1,050°C. The product cannot be removed using conventional cleaning agents. Ceramic Coat Rims protects even from damage caused by leaking brake fluid thanks to the special integrated resin. Ceramic Coat Rims is very flexible up to a film thickness of 8 µm and therefore cannot chip or peel off.

**Areas of application:**

- Painted and powder-coated rims
- Gloss & matte coatings
- High-gloss polished rims
- Chrome rims

**Properties:**

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally-stable
- Easy-to-clean surfaces
- Unique gloss & colour depth
- Resistant to temperatures from -50°C to +1,050°C



50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10182	Art. No.: SF10182.1	Art. No.: SF10182.2	upon request

**Scope of delivery 50 ml and 100 ml Set:**

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1,000 ml and 5,000 ml:**

No accessories included



**Lifetime:**

One layer: Approx. 30 – 36 months (manual washing) Each additional layer enhances the lifetime by a further 8 – 9 months.

## Ceramic Coat Rims - matt -

Surface coating for various types of rims

The transparent and high-strength surface coating of the servFaces line is a diverse and unique quality product for rim coating on all vehicles. It offers optimum protection on painted and unpainted surfaces of rims with a semi-gloss finish.

The highly-transparent coating forms a long-lasting protective film resistant to dirt and easy to clean with minimum consumption. Ceramic Coat Rims -matt- is resistant to temperatures up to +1,050°C as well. The product cannot be removed using conventional cleaning agents. Ceramic Coat Rims -matt- protects even from damage caused by leaking brake fluid thanks to the special integrated resin. Ceramic Coat Rims -matt- is very flexible up to a film thickness of 8 µm and therefore cannot chip or peel off.

**Areas of application:**

- Painted and powder-coated rims
- Matte coatings
- High-gloss rims
- Chrome rims

**Properties:**

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally-stable
- Easy-to-clean surfaces
- Unique gloss & colour depth
- Resistant to temperatures from -50°C to +1,050°C

## Plastic Coat

### Coating for plastic surfaces



This transparent and high-strength surface coating from the servFaces line is a diverse and unique quality product for plastic surfaces. Plastic Coat provides optimum protection for untreated, natural-finish plastic surfaces and creates silky gloss effects!

The highly-transparent coating forms a long-acting protective film resistant to dirt and easy to clean with minimum consumption. Plastic Coat is resistant to temperatures up to +680°C as well. Therefore, surfaces' fireproof properties will not be negatively affected. The product cannot be removed with conventional cleaning agents. servFaces Plastic Coat has a special integrated UV blocker which effectively protects untreated plastics from discoloration for a long time. servFaces Plastic Coat is very flexible up to a film thickness of 5 µm and therefore cannot chip or peel off.

#### Areas of application:

- Untreated or natural-finish plastic surfaces

#### Properties:

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally stable
- Easy-to-clean surfaces
- Unique gloss & color depth
- Resistant to temperatures from -50°C to +680°C
- Simple application

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10009	Art. No.: SF10009.1	Art. No.: SF10009.2	upon request

#### Scope of delivery 50 ml and 100 ml Set:

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

#### Scope of delivery 1,000 ml and 5,000 ml:

No accessories included



#### Lifetime:

One layer: Approx. 24 – 36 months  
Each additional layer enhances the lifetime for a further 8 – 9 months.

## Plastic Coat - matt -

### Coating for plastic surfaces



This transparent and high-strength surface coating from the servFaces line is a diverse and unique quality product for plastic surfaces. Plastic Coat provides optimum protection for untreated, natural-finish plastic surfaces and creates silky gloss effects!

The highly-transparent coating forms a long-acting protective film resistant to dirt and easy to clean with minimum consumption. Plastic Coat is resistant to temperatures up to +680°C as well. Therefore, surfaces' fireproof properties will not be negatively affected. The product cannot be removed with conventional cleaning agents. servFaces Plastic Coat has a special integrated UV blocker which effectively protects untreated plastics from discoloration for a long time. servFaces Plastic Coat is very flexible up to a film thickness of 5 µm and therefore cannot chip or peel off.

#### Areas of application:

- Untreated or natural-finish plastic surfaces

#### Properties:

- Long-term protection
- Very high hydrophobic properties
- Resistant to washing bays & stable gloss
- Resistant to cleaning agents & environmental influences (pH 2 - 13)
- UV resistant & environmentally stable
- Easy-to-clean surfaces
- Unique gloss & color depth
- Resistant to temperatures from -50°C to +680°C
- Simple application

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10179	Art. No.: SF10179.1	Art. No.: SF10179.2	upon request

#### Scope of delivery 50 ml and 100 ml Set:

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

#### Scope of delivery 1,000 ml and 5,000 ml:

No accessories included



#### Lifetime:

One layer: Approx. 24 – 36 months  
Each additional layer enhances the lifetime for a further 8 – 9 months.



## Vitro Ultima

Surface optimization for glass surfaces

We offer you the greatest sealing protection for glass surfaces thanks to modern high-performance particles. servFaces Vitro Ultima binds directly to the glass molecules and considerably improves the dirt-repellent performance of the glass surface. The product has special surface functions and strong water-repellent properties. Surface optimization on vehicles with the servFaces Vitro product line provides a clear view even in unexpected heavy rain. Protect yourself, your environment and take care for better road safety.

**Areas of application:**

Windscreen treatment:

- Better view when it rains, especially on highways
- In winter: time consuming scraping off of ice reduced to a minimum
- In summer: Mosquito remains are easier to remove/ easy-to-clean

Use on other glass surfaces (e.g. conservatories, porches, skylights, etc.):

- Extended cleaning cycle
- Less cleaning agent necessary
- Dirt is easier to remove

50 ml	100 ml	1 liter	5000 ml
Art. No.: SF10013	Art. No.: SF10013.1	Art. No.: SF10013.2	upon request

**Scope of delivery 50 ml Set:** 1x 50 ml Vitro Polish, 1 x applicator, 2x application cloth, 1x spray nozzle, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 100 ml Set:** 1 x applicator, 2x application cloth, 1x spray nozzle, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1000 ml:** No accessories included



**Lifetime:**

Windscreens: Approx. 12 to 18 months  
Side windows: 5 to 6 years  
glass facades: Up to 10 years

**Properties:**

- Easy-to-clean
- Exceptional hydrophobic properties
- Resistant to cleaning agents and environmental factors (pH 3-12)
- Salt and limescale repellent
- Protection from environmental influences
- Extended cleaning intervals
- Reduced costs
- UV-resistant and long-term stability
- Improved visibility and road safety
- Preservation of the glass surface structure



## Vitro Hydro

Surface optimization for glass surfaces

We offer you the greatest sealing protection for glass surfaces thanks to modern high-performance particles. servFaces Vitro Hydro binds directly to glass molecules and considerably improves the dirt-repellent performance of the glass surface. The product has special surface functions and strong water-repellent properties. Surface optimization on vehicles with the servFaces Vitro product line provides a clear view even in unexpected heavy rain. Protect yourself, your environment and take care for better road safety.

**Areas of application:**

Windscreen treatment:

- Better view when it rains, especially on highways
- In winter: time consuming scraping off of ice reduced to a minimum
- In summer: Mosquito remnants are easier to remove

Use on other glass surfaces (e.g. conservatories, porches, skylights, etc.):

- Extended cleaning cycle
- Less cleaning agent necessary
- Dirt is easier to remove

50 ml	100 ml	1 liter	5000 ml
Art. No.: SF10011	Art. No.: SF10011.1	Art. No.: SF10011.2	upon request

**Scope of delivery 50 ml Set:** 1x 50 ml Vitro Polish, 1 x applicator, 2x application cloth, 1x spray nozzle, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 100 ml Set:** 1 x applicator, 2x application cloth, 1x spray nozzle, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 1000 ml:** No accessories included



**Lifetime:**

Windscreens: Approx. 8 to 12 months  
Side windows: 3 to 4 years  
glass facades: Up to 7 years

**Properties:**

- Easy-to-clean
- Exceptional hydrophobic properties
- Resistant to cleaning agents and environmental factors (pH 3-12)
- Salt and limescale repellent
- Protection from environmental influences
- Extended cleaning intervals
- Reduced costs
- UV-resistant and long-term stability
- Improved visibility and road safety
- Preservation of the glass surface structure



## Vitro Shower Cabin

Permanent protective sealant for glass surfaces

Surface optimization with servFaces Vitro Shower Cabin protects shower cabin glass surfaces and all other glass surfaces in washrooms from limescale and lime deposits and prevents soap, shampoo or body fat deposits on glass surfaces. The high-performance particles of servFaces Vitro Shower Cabin bind directly to the material molecule, bond with the glass at the molecular level and considerably improve the dirt-repellent performance of the glass surface. After sealing, the glass surface become extremely hydrophobic and limescale repellent. The special combination of active ingredients in the nanoparticle ensure great protective effects and preserve the glass surface structure.

### Areas of application:

- Glass shower enclosures
- Glazed wall tiles
- Sanitaryware

### Properties:

- Easy-to-clean effects
- Surfaces become extremely hydrophobic
- Resistant to cleaning agents (pH: 2 - 13)
- Salt & limescale repellent
- Bionic dirt-repellent effects
- Bionic dirt-free effects
- UV-resistant
- Resistant to aggressive salts and alkaline solutions
- High resilience, long durability, high efficiency

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10014	Art. No.: SF10014.1	Art. No.: SF10014.2	upon request

**Scope of delivery 50 ml Set:** 1x 50 ml Vitro Polish, 1 x applicator, 2x application cloth, 1x spray nozzle, 1x coating booklet, 1x sticker, 1x application booklet

**Scope of delivery 100 ml Set:** 1 x applicator, 2x application cloth, 1x spray nozzle, 1x booklet, 1x sticker

**Scope of delivery 1000 ml:** No accessories included



### Lifetime:

Approx. 30 – 36 months



## Anti Fog

Anti-condensation agent

Anti-Fog is a newly developed, highly effective anti-condensation agent based on a hybrid polymer system. Thanks to the molecular structure, the individual molecules form a direct chemical bond with the treated surface. An intensive and crystal clear anti-condensation seal is achieved due to this transparent and highly effective anti-condensation protective film.

### Areas of application:

- Glass and mirror surfaces in households
- Glass and mirror surfaces in wet rooms such as wellness and sauna areas, swimming pools, showers, bathrooms
- glass surfaces in the motor-vehicle sector

### Properties:

- Prevents condensation on glass surfaces, particularly in substantial temperature fluctuations
- Removes even stubborn dirt without any residues and leaves a clean streak-free surface
- Silicone-free
- Water-based
- Protective effects last 3 to 6 weeks

100 ml
Art. No.: SF10027.2



### Lifetime:

Approx. 3 to 6 weeks



500 ml	1 liter	5 liters
Art. No.: SF10017	Art. No.: SF10017.1	Art. No.: SF10017.2



**Lifetime:**

Always according to the textile fiber, purpose of use and stress up to 24 months or max. 50 washing cycles at 30°C



## Textil Ultima

High-performance textile coating

You can effectively protect nearly all types of textiles from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color fastness and feel will thereby not be impaired in any way. Textiles are easy to maintain and remain breathable. Damage through discoloration or stain formation caused by aqueous and greasy dirt are things of the past.

**Areas of application:**

- For conventional textiles such as clothing, household textiles, seat covers, carpets, convertible rooftops, sun blinds and many more

**Properties:**

- Long-term protection
- Chemically resistant and environmentally stable
- Easy-to-clean surface
- Hydrophobic, oleophobic and dirt-repellent protective film
- Free of flammable solvents
- Breathable
- Natural softness /flexible



500 ml	1 liter	5 liters
Art. No.: SF10016	Art. No.: SF10016.1	Art. No.: SF10016.2



**Lifetime:**

Always according to the textile fiber, purpose of use and stress up to 24 months or max. 50 washing cycles at 30°C

## Textil Strong

High-performance textile coating

You can effectively protect nearly all types of textiles from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color fastness and feel will thereby not be impaired in any way. Textiles are easy to maintain and remain breathable. Damage through discoloration or stain formation caused by aqueous and greasy dirt are things of the past.

**Areas of application:**

- For conventional textiles such as clothing, household textiles, seat covers and carpets

**Properties:**

- Long-term protection
- Chemically resistant and environmentally stable
- Easy-to-clean surface
- Hydrophobic, oleophobic and dirt-repellent protective film
- Free of flammable solvents
- Breathable
- Natural softness /flexible



100 ml	1 liter	5 liters
Art. No.: SF10018	Art. No.: SF10018.1	Art. No.: SF10018.2

**Scope of delivery 100 ml Set:** 1 x applicator, 2x application cloth, 1x spray nozzle, 1x booklet, 1x sticker



**Lifetime:**

The lifetime is 12 – 24 months, always according to the substrate and surface stress.

## Leather Ultima

Leather sealant

We can effectively protect nearly all types of leather from water, dirt and stain formation thanks to modern high-performance particles. Appearance, color or feel will thereby not be reduced in any way. Leather is easy to maintain and remains breathable. Damage caused by discoloration or oil and coffee stains or other frequently occurring causes are things of the past. servFaces Leather Ultima ensures permanent protection with state-of-the-art high-performance particles! Leather Ultima creates a dirt, water and rain-repellent protective film on the leather. The high-performance particles are stable and work for up to 18 months!

**Areas of application:**

- Covered smooth leather
- Semi-aniline leather
- Open-pore smooth leather
- Suede leather
- PU-leather and split leather

**Properties:**

- Long-term protection
- UV-resistant
- Easy-to-clean
- Water and dirt-repellent
- Breathable
- Simple application
- Colorless and transparent liquid
- Contains no Teflon, wax or silicone



## Metal Coating

### Surface coating

The transparent and high-strength surface coating of the servFaces line is a diverse and unique quality product for a variety of metal surfaces such as copper, bronze, precious metals, non-ferrous metals, galvanized (zinc-plated) metals, stainless steel, ferrous metals and many more. It offers optimum protection for most diverse areas of application. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance.

#### Areas of application:

- Copper, bronze, precious metals, non-ferrous metals, stainless steel
- Galvanized (zinc-plated) metals
- Ferrous metals

#### Properties:

- Transparent, invisible, flexible and permanent long-lasting coating.
- Does not contain siloxane, fluorine, Teflon, wax, silicone or carcinogenic additives
- UV and weather resistant
- Saltwater-proof
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 890 °C (briefly +1,090°C)
- Resistant to chemicals (pH 2-13)
- Non-flammable/non-corrosive
- Increases hardness and scratch resistance, very high abrasion resistance
- Corrosion protection up to 10 years or longer
- Easy to clean
- Reduces fingerprints by up to 90 %
- Extends cleaning intervals and reduces cleaning and care costs

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10076	Art. No.: SF10076.1	Art. No.: SF10076.2	upon request

#### Scope of delivery 50 ml and 100 ml Set:

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

#### Scope of delivery 1,000 ml and 5,000 ml:

No accessories included



#### Lifetime:

The lifetime is 2 – 10 years, always according to the substrate, surface stress and film thickness



## Tile Coating

### Surface coating

This transparent high-strength surface coating from the servFaces line is a diverse and unique quality product for a variety of smooth mineral surfaces, such as granite, marble, ceramic surfaces in sanitary areas, tiling and much more. It offers optimum protection for most diverse areas of application.

#### Food safety:

The coated surface has no harmful effects on health after curing. It can come in contact with food without any concerns. It is confirmed by a certificate issued by CBA GmbH.

#### Areas of application:

- Granite
- Marble
- Ceramic surfaces in sanitary areas
- Tiling

#### Properties:

- Transparent, invisible and flexible
- UV and weather resistant
- Saltwater-proof
- Resistant to cleaning agents of pH range 2 - 13
- Anti-graffiti effects
- Long-acting protection against oil, vinegar, orange and lemon juice, lipstick, red wine and much more
- Resistant to temperatures from -50 °C to + 890°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Anti-scaling protection
- Reduces fingerprints by up to 90 %
- Extends cleaning intervals and thus reduces cleaning and care costs

50 ml	100 ml	1000 ml	5000 ml
Art. No.: SF10077	Art. No.: SF10077.1	Art. No.: SF10077.2	upon request

#### Scope of delivery 50 ml and 100 ml Set:

1 x applicator, 2x application cloth, 1x coating booklet, 1x sticker, 1x application booklet

#### Scope of delivery 1,000 ml and 5,000 ml:

No accessories included



#### Lifetime:

The lifetime is 2 – 10 years always according to the substrate, surface stress and layer thickness.



# AERO COATINGS



## Aero Paint Coating

### Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

#### Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

#### Areas of application:

- For all aircraft exterior coated surfaces (gliders, sports aircraft, etc.), Suited also for cleaning plastic surfaces.

#### Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10048	Art. No.: SF10048.1	Art. No.: SF10048.2	Art. No.: SF10048.3



#### Lifetime:

Approx. 3 - 5 years with a dry layer thickness of at least 5 µm



## Aero Metal Coating

### Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

#### Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

#### Areas of application:

- For all clean and untreated aircraft metal surfaces (gliders, sports aircraft, etc.,).

#### Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10049	Art. No.: SF10049.1	Art. No.: SF10049.2	Art. No.: SF10049.3



#### Lifetime:

Approx. 3 - 5 years with a dry layer thickness of at least 5 µm



## Aero Window Coating

### Surface coatings for aircraft

Technology for numerous aircraft surfaces. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

#### Multitalented for surface optimization

The highly-transparent coatings form a long-lasting protective coating resistant to scratches and dirt with minimum applied quantity. Hard coated layers are especially suited to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Moreover, our high-strength silicon hard coatings are extremely resistant to heat up to 1,800°C (always according to the formulation). Therefore, surface flame properties will not be negatively changed.

#### Areas of application:

- For all clean and untreated aircraft glass surfaces (gliders, sports aircraft, etc.,).

#### Properties:

- Transparent, invisible and flexible
- UV and weather proof
- Resistant to chemicals with pH range of 2 - 13
- Anti-graffiti effects
- Protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50°C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean
- Corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10050	Art. No.: SF10050.1	Art. No.: SF10050.2	Art. No.: SF10050.3



#### Lifetime:

Approx. 3 - 5 years with a dry layer thickness of at least 5 µm



# YACHT COATINGS



## Yacht Paint Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFACES transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

### All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

### Areas of application:

- For all Gelcoat- & coated surfaces on vessels such as sports boats, yachts, sailboats and many more. Suitable also for clean plastic surfaces on sports vessels.

### Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10045	Art. No.: SF10045.1	Art. No.: SF10045.2	Art. No.: SF10045.3



### Lifetime:

The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness



## Yacht Metal Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

### All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

### Areas of application:

- For all clean and untreated metal surfaces on vessels such as sports boats, yachts, sailboats and many more.

### Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10046	Art. No.: SF10046.1	Art. No.: SF10046.2	Art. No.: SF10046.3



### Lifetime:

The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness



## Yacht Window Coating

Surface coatings for vessels

Technology for a variety of surfaces on all vessels. servFaces transparent and high-strength surface coatings are a diverse and unique quality product. They offer optimum protection for the most diverse areas of application.

### All-round talent for surface optimization

The highly-transparent coatings form a long-lasting protective layer resistant to scratches and dirt with minimum applied quantity. Hard-coated layers are suited especially to large-scale areas of application due to the low material consumption. Therefore, damage caused by resins, acids, salts, weather and mechanical impacts have no chance. Our hybrid, high-strength polymer hard-coated layer is also exceptionally resistant to temperatures up to max. +1,800° C (always according to formulation). Therefore, the surface's fire properties will not be negatively affected.

### Areas of application:

- For all clean and untreated glass surfaces on vessels such as sports boats, yachts, sailboats and many more.

### Properties:

- Transparent, invisible and flexible
- UV, weather- & saltwater-proof
- Resistant to chemicals in pH range 2 - 13
- Anti-graffiti effects and protection from nearly all acids, bases and organic solvents
- Resistant to temperatures from -50 °C to + 1,090°C
- Increases hardness and scratch resistance
- Easy-to-clean & corrosion protection

250 ml	500 ml	1 liter	5 liters
Art. No.: SF10047	Art. No.: SF10047.1	Art. No.: SF10047.2	Art. No.: SF10047.3



### Lifetime:

The lifetime is 2 to 10 years, always according to the substrate, surface stress and film thickness



- Silikonfrei
- Silicon free
- stank Hydrophob
- Super hydrophobic
- glanzsegerend
- Glossy finish
- Easy-to-use

**Hydro Seal**  
- Sprühversiegelung | Spray Sealing -

## CARE

- PAINT CARE
- PLASTIC AND RUBBER CARE
- LEATHER CARE
- ACCESSORIES



250 ml	750 ml	5 liters
Art. No.: SF10218	Art. No.: SF10218.1	Art. No.: SF10218.2

**Lifetime:**

One layer: Approx. 8 – 12 weeks

To achieve a longer protection period, an additional layer can be applied after 60 minutes.

## Hydro Seal

### Spray sealant for smooth surfaces

Hydro Seal is a specially developed spray sealant for all smooth surfaces, such as paint, plastics and glass on automobiles, campers as well as exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results. Hydro Seal enhances the gloss and colour depth. You can also use the product as care for vehicles protected with our coat sealants. This will extend the lifetime of individual coatings. Ideal for care of exhibition vehicles, new vehicles, freshly prepared painted surfaces or after car washing.

**Areas of application:**

- All smooth surfaces, such as paint, plastics and glass on automobiles, campers or exterior surfaces of yachts

**Properties:**

- very water-repellent
- increased gloss and smoothness
- resistant to weak acids and bases
- simple and quick application
- minimal consumption



250 ml	750 ml	5 liters
Art. No.: SF10161	Art. No.: SF10161.1	Art. No.: SF10161.2

**Lifetime:**

One layer: Approx. 8 – 10 weeks

To achieve a longer protection period, an additional layer can be applied after 60 minutes.

## Hybrid Spray Wax

### Wax polish spray for painted surfaces

Hybrid Spray Wax is a hybrid wax polish spray for all painted surfaces on automobiles, campers and exterior surfaces of yachts. This special combination guarantees very simple and quick application. Hybrid Spray Wax enhances the gloss and colour depth. You can also use the product as care for vehicles which are protected with our coat sealants. This will extend the lifetime of individual coatings. Ideal for care of exhibition vehicles, new vehicles, freshly prepared painted surfaces or after car washing.

**Areas of application:**

- All smooth surfaces such as paint and plastics on automobiles, campers or exterior surfaces of yachts

**Properties:**

- very water-repellent
- increased gloss and smoothness
- resistant to weak acids and bases
- simple and quick application
- minimal consumption



250 ml	750 ml	5 liters
Art. No.: SF10162	Art. No.: SF10162.1	Art. No.: SF10162.2

**Lifetime:**

One layer: Approx. 6 – 8 weeks

To achieve a longer protection period, an additional layer can be applied after 60 minutes.

## Fast Shine - 3 in ONE

### Surface cleaner with preservation effects

Fast Shine - 3 in ONE is a specially developed, oil-free silicone surface cleaner with active preservation effects. It can be applied on all stressed and brand new surfaces such as paint, plastics and glass on automobiles, campers and exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results. The product removes lime stains after car washing. It binds directly to the paint molecules, improves the surface dirt-repellent properties and forms a very thin and water-repellent protective film. The product can be used on dry and wet (with a minimum reduction in performance) surfaces. To achieve the best results, the surface to be sealed should be cool and dry.

**Areas of application:**

- Ideal for quick cleaning and care of exhibition vehicles and exhibits
- Detail spraying
- Dry washing
- Quick sealing

**Properties:**

- Good hydrophobicity
- Enhanced gloss and smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption
- Silicone oil-free



250 ml	750 ml	5 liters
Art. No.: SF10275	Art. No.: SF10275.1	Art. No.: SF10275.2



**Lifetime:**

Approx. 6 – 8 weeks  
Applications in a cycle of 2 to 3 weeks increases the protection by approx. 70 to 80 %.

## Wet Seal & Care

### Wet sealing

Wet Seal & Care is specially developed, silicone-free quick sealing for wet surfaces that provides active and long-lasting preservation based on the latest technology. It can be applied to all stressed and brand new surfaces such as paint, plastics and glass on automobiles, campers and exterior surfaces of yachts. The product can be used during car washing. It binds directly to the paint molecules, improves the surface dirt-repellent properties and forms a very thin and water-repellent protective film with a pleasant smoothness.

**Areas of application:**

- Vehicles
- Yachts and boats
- Campers
- Motorcycles

**Properties:**

- Good hydrophobicity
- Enhanced gloss and smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption
- Streak-free gloss
- Silicone-free



250 ml	500 ml
Art. No.: SF10255	Art. No.: SF10255.2



**Lifetime:**

One layer: Approx. 6 – 12 months  
To achieve a longer protection period, an additional layer can be applied after 60 minutes.

## Hybrid Wax Creme

### Paint protective creme

Hybrid Wax Creme is a specially developed wax cream based on hybrid polymers and premium synthetic wax. The unique hybrid formula of Hybrid Wax Creme protects painted surfaces on automobiles, campers and exterior surfaces of yachts. The very simple and quick application guarantees the best gloss results with very high hydrophobic effects.

**Areas of application:**

- Vehicles
- Yachts and boats
- Campers
- Motorcycles

**Properties:**

- Good hydrophobicity
- Enhanced gloss and smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption
- Streak-free gloss
- Silicone-free



## Cockpit & Plastic Care

### Care and protection emulsion

Cockpit & Plastic Care is a care and protection emulsion that gives a deep black finish on various interior plastic surfaces (optionally also exteriors). The product restores lost moisture to the plastic surface and effectively protects it from discoloration and crack formation. The product creates a perfect semi-gloss finish and is the ideal choice for so-called „Soft Touch“ surfaces of modern vehicle interiors. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

#### Areas of application:

- Various plastic and rubber surfaces in the interior

#### Properties:

- UV-protection
- Antistatic surface
- Smooth surface feel
- Enhances color
- Simple and quick application
- Minimal consumption
- Free of silicone oil and solvents

250 ml	750 ml	5 liters
Art. No.: SF10164	Art. No.: SF10164.1	Art. No.: SF10164.2



#### Lifetime:

One layer: Approx. 6 to 12 weeks

The product can last up to 6 months always depending on use and cleaning intervals!



## Tire & Rubber Care

### Care and protection emulsion

Tire & Rubber Care is a care and protection emulsion which provides a deep black finish on tire walls and various rubber surfaces. The product restores lost moisture to the rubber surface and provides effective protection from discoloration and crack formation.

#### Areas of application:

- Tire walls and various exterior rubber surfaces

#### Properties:

- High water repellency
- Enhances color
- Simple and quick application
- Minimal consumption
- Leaves no greasy or sticky film on the surface
- Free of silicone oil and solvents

250 ml	750 ml	5 liters
Art. No.: SF10163	Art. No.: SF10163.1	Art. No.: SF10163.2



#### Lifetime:

Approx. 3 to 6 weeks. Frequent driving in rain reduces the lifetime!



## Motor Care & Clean

### Care and protection emulsion with cleaning effects

Motor Care & Clean is a care and protection emulsion with cleaning effects which provides for an even deep black finish on a variety of plastic and rubber surfaces in the engine bay. The product restores lost moisture to the plastic surface and provides effective protection from discoloration or crack formation. The product creates a perfect semi-gloss finish and is suitable especially for modern plastic and rubber surfaces in the engine bay. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

#### Areas of application:

- Plastic and rubber surfaces in the engine bay

#### Properties:

- UV-protection
- Antistatic surface
- Smooth surface feel
- Enhances color
- Simple and quick application
- Minimal consumption
- Free of silicone oil and solvents

250 ml	750 ml	5 liters
Art. No.: SF10269	Art. No.: SF10269.1	Art. No.: SF10269.2



#### Lifetime:

One layer: Approx. 6 – 12 weeks

The product can last up to 6 months always depending on use and cleaning interval!



250 ml	1 liter
Art. No.: SF10070	Art. No.: SF10070.1

## Leather Cream

### Leather cleaning & care system

Leather is demanding. Improper care results in loss of the soft feel and a rough surface. servFaces Leather Care System is an all-round package containing cleaning and care products – because properly maintained leather gives long-term pleasure.

Nothing lasts forever, even the best leather impregnation. Wear and tear and dirt attack the material. Heavily stressed areas such as leather-upholstered furniture armrests, car interiors, bags or leather clothing need particularly good care. Sunlight and heat attack the natural oiliness.

The leather becomes rough and brittle. servFaces Leather Cream renews protection of the leather using the latest impregnation technology. The highly effective oil replenishment formulation restores the lost suppleness and elasticity of the leather without clogging the pores.

#### Areas of application:

- Moderately to heavily soiled areas on moderately to strongly pigmented smooth leather (car and furniture upholstery, bags, suitcases, clothing).
- Not suitable for: Nubuck, suede or rough suede leather

#### Properties:

- Strong dirt dissolving power
- Protects material
- Leaves no residues
- Dull finish
- No change in surface characteristics (touch)





## PRODUCT LINES

- PRO 25 SERIES – LARGE PACKAGING
- HYDRO CERAMIC SERIES

Pro 25 Series

**TOP QUALITY IN  
LARGE QUANTITIES**  
- AT ATTRACTIVE PRICES!

**ALSO  
AVAILABLE IN  
TEST SETS!**

in small containers  
starting at 500 ml

# PRO 25 SERIES

## EXCLUSIVELY FOR OUR BUSINESS CUSTOMERS

The products of the Pro 25 Series are available in practical bulk containers, such as 25 kg and 200 kg. You receive top quality at attractive prices!

The products have been developed to achieve maximum benefit in application. At the same time, we place great emphasis on ensuring the highest possible compatibility for both the environment and the user.



Portal car wash systems



Tunnel car wash systems



Self-service car wash systems



Manual washing



### Hydro Shampoo & Foam // HSF-HC1000 // 2 in 1 condition shampoo and snow foam with long-term sealing

servFaces Hydro Shampoo & Foam from the Pro25 series is a combination of a condition shampoo and snow foam with sealing effect, based on the new Hydro-Ceramic-Technology from servfaces. The new preservative formulation ensures, that the water and dirt-repellent preservation effect lasts for a long time on surfaces. The easy application enables to receive a very smooth and highly hydrophobic surface with a deep shine within a very short time.

#### Anwendungsgebiete:

- Motorcycles and Scooters
- Vehicles in the motor-vehicle sector
- Camper
- Lacquer, glass, metal and plastic surfaces
- Yachts and boats

#### Eigenschaften:

- Very water-repellent
- Enhances gloss & smoothness
- Resistant to weak acids and bases
- Simple and quick application
- Minimal consumption

25 kg	200 kg
Art. Nr.: SF10426	Art. Nr.: SF10426.1



## Pre-Wash PLUS // PWP-A1010 //

Pre-cleaner

servFaces Pre-Wash PLUS / PWP-A1010 is a modern, highly concentrated pre-cleaner. The special combination of sequestrants, surfactants and premium additives dissolves even the most stubborn dirt, such as insect remains, bird droppings, oil, fat and soot deposits. Special additives ensure high compatibility with sensitive components, e.g., plastics and anodized aluminum.

### Areas of application:

- Passenger car & truck precleaning
- Engine bay cleaning
- Insect removal
- Preliminary cleaning of foam
- Trains & trams
- Construction machinery
- Industry & handicraft

### Properties:

- Material friendly
- Environmentally friendly
- Phosphate-free and solvent-free
- Leaves no grey film
- Applicable with cold or hot water
- Removes oil, grease & soot deposits
- Highly concentrated
- Strong cleaning power
- High foaming power

25 kg	200 kg
Art. No.: SF10283	Art. No.: SF10283.1



## Shampoo Wash // SW-N2010 //

Combination product for car washes and manual washing

servFaces Shampoo Wash / SW-N2010 is a very gentle and effective combination product (combining foam and shampoo) for gantry car washes, conveyor tunnel systems, self-service car washes and manual washing. The large content of surfactants guarantees a strong and stable foam action and intensive and paint-friendly cleaning performance. What is more, it supports self-cleaning and accordingly, extends the lifetime of cleaning brushes. Shampoo Wash / SW-N2010 is also very suitable for gentle cleaning of services coated with servFaces products.

### Areas of application:

- Passenger cars, trucks, campers
- Buses and transporters
- Trains and trams
- Gantry car washes
- Conveyor tunnel systems
- Self-service car washes
- Manual washing

### Properties:

- Phosphate-free and solvent-free
- Silicone-free
- Skin and environmentally friendly
- Highly concentrated
- Strong cleaning power

25 kg	200 kg
Art. No.: SF10284	Art. No.: SF10284.1



## Acid Wheel Cleaner // AWC-S3010 //

Brake dust and flash rust remover

servFaces Acid Wheel Cleaner/AWC-S3010 is an effective combination product which effortlessly removes brake dust and flash rust on all acid-resistant surfaces. Thanks to the specially tuned formulation and a special additive for corrosion protection, it provides excellent protection for sensitive substrates such as plastic and painted surfaces.

### Areas of application:

- Painted surfaces
- Aluminum and steel rims
- Plastic hub caps

### Properties:

- Material and paint friendly
- Time-saving application
- Powerful
- Wide range of applications

25 kg	200 kg
Art. No.: SF10285	Art. No.: SF10285.1



## Rust & Dust EXX // RDE-N4010 //

Rim cleaner and flash rust remover

servFaces Rust & Dust EXX / RDE-N4010 is a powerful, pH-neutral and acid-free high-performance cleaner based on reacting active substances and high-performance surfactants. Flash rust, burned-in brake dust and other inorganic dirt is removed quickly, efficiently and gently. An optimum combination of ingredients guarantees a long application time, so that the reacting active substances can infiltrate and effectively remove even stubborn and burned-in particles. The dirt dissolving power is visible thanks to the color indicator (red color reaction). High-grade surfactants coat the dissolved dirt, which can then be simply and easily rinsed off. Heavily soiled areas will possibly need some rework with a sponge or brush to allow better cleaning.

### Areas of application:

- Painted surfaces, plastics, glass and rims on passenger cars and commercial vehicles

### Properties:

- Powerful
- pH-neutral
- Acid-free
- Color indicator

25 kg	200 kg
Art. No.: SF10286	Art. No.: SF10286.1



## Multi Clean PLUS // MCP-5010 //

Universal cleaner for car interiors

servFaces Multi Clean PLUS/MCP-5010 is a slightly alkaline, highly-concentrated combination product for the whole car interior. It gently and effectively cleans upholstery, carpets, headlining and plastic without damaging sensitive surfaces. The high-grade surfactant combination penetrates deeply into textile fibers and dissolves even the most stubborn dirt such as oil, grease and nicotine residues. Multi Clean PLUS / MCP-5010 is also suited to powerful and effective cleaning of all surfaces in buildings, public transport and much more.

### Areas of application:

- Car interiors
- Tiling, concrete and stone floors
- Furniture in public institutions
- Office buildings
- Trains & trams
- Industry and handicrafts
- Doors and windows

### Properties:

- Leaves no streaks
- Removes heavy dirt
- Applicable cold or hot
- Highly concentrated
- Strong cleaning power
- Biologically degradable
- Develops no toxic vapors
- Skin and environmentally friendly

25 kg	200 kg
Art. No.: SF10287	Art. No.: SF10287.1



## Glass Clean PLUS // GCP-K9010 //

Premium glass cleaner

servFaces Glass Clean PLUS / GCP-K9010 is a modern and effective glass cleaner that protects material and cleans glass surfaces without streaking. Suited also to clean plastic surfaces. It is suitable for universal application and effortlessly removes insect remains, nicotine, grease and oil.

### Areas of application:

- Glass facades & windows
- Car windows
- Plastic discs
- Window frames
- Glass tables & mirrors

### Properties:

- Silicone-free
- Cleans without streaking
- Strong cleaning power
- Economical

25 liter	200 liters
Art. No.: SF10288	Art. No.: SF10288.1



10 kg	25 kg
Art. No.: SF10289	Art. No.: SF10289.1



**Lifetime:**

One layer: Approx. 8 to 12 weeks  
The product can last up to 6 months always depending on use and cleaning intervals!

**Interior Plastic & Rubber Care // PRC-I6010 //**  
Care and protection emulsion

servFaces Interior Plastic & Rubber Care / PRC-I6010 is a care and protection emulsion that provides a deep black finish on various interior plastic surfaces. The product restores lost moisture to the plastic surface and provides effective protection from discoloration and/or crack formation. The product creates a perfect semi-gloss finish and is the ideal choice for so-called „Soft Touch“ surfaces of modern vehicle interiors. It has dust repellent and antistatic effects, and protects plastic from repeated contamination, since the surface is not sticky.

**Areas of application:**

- Plastic and rubber surfaces

**Properties:**

- UV-protection
- Antistatic surface
- Enhances color
- Simple and quick application
- Smooth surface feel
- Minimal consumption
- Solvent and silicone oil-free



1 liter
Art. No.: SF10290.2

**Exterior Plastic & Rubber Care // PRC-E7010 //**  
Plastics and rubber care product

Exterior Plastic & Rubber Care / PRC-E7010 is a plastics and rubber care product of premium quality. It provides care and protection for weeks and is exceptionally UV-stable. Thanks to its high-quality care components, which tightly bind with the treated surface, it restores the original semi-gloss appearance of the treated surface. The product is distinguished by a long lifetime and quick and simple application. It is ideally suited to tires and rubber parts. Exterior Plastic & Rubber Care / PRC-E7010 also prevents freezing of door seals.

**Areas of application:**

- Plastic and rubber surfaces on the exterior

**Properties:**

- Good water repellency
- Enhances color
- Simple and quick application
- Minimal consumption
- Leaves no greasy or sticky film on the surface
- Long-lasting protection



10 kg	25 kg
Art. No.: SF10291	Art. No.: SF10291.1



**Lifetime:**

One layer: Approx. 6 to 12 weeks  
The product can last up to 6 months always depending on use and cleaning intervals!

**Motor Shine & Care // MSC-8010 //**  
Care and protection emulsion

servFaces Motor Shine & Care / MSC-8010 is a care and protection emulsion with cleaning effects. It provides a deep black finish on a variety of plastic and rubber surfaces in the engine bay. The product restores lost moisture to the plastic surface and provides effective protection from discoloration or crack formation. It creates a perfect semi-gloss finish and is suitable especially for modern plastic and rubber surfaces in the engine bay. It has dust-repellent and antistatic properties and protects plastics from repeated contamination, since the surface is not sticky.

**Areas of application:**

- Plastic and rubber surfaces in the engine bay

**Properties:**

- UV-protection
- Antistatic and dust repellent surface
- Enhances color
- Simple and quick application
- Smooth surface feel
- Minimal consumption
- Solvent and silicone oil-free

## Hydro Ceramic Shampoo

Conditioning shampoo with sealing effect



Hydro Ceramic Shampoo is a conditioning shampoo with sealing effects based on the latest Hydro-Ceramic-technology from servFaces. This new preservation technology enhances gloss and creates a very smooth, strong hydrophobic surface. The combination of a new cleaning and preservative formulation enables thorough cleaning and provides a long-lasting water and dirt-repellent surface in one operation. Hydro Ceramic Shampoo is ideal for coated surfaces to extend the life of each coating.

**Areas of application:**

- Vehicles in the motor-vehicle sector
- Motorhomes
- Motorcycles / Scooters
- Boats
- Lacquer, glass, metal and plastic surfaces

**Properties:**

- Strongly water-repellent
- Increases gloss and smoothness
- Resistant to weak acids and bases
- Simple and fast processing
- Minimal consumption

1 liter	5 liters
Art. No.: SF10416	Art. No.: SF10416.1

## Hydro Ceramic Foam

Snow Foam with long-term sealing



servFaces Hydro Ceramic Foam is a Snow Foam with sealing effects based on the latest „Hydro Ceramic“ technology from servFaces. The new preservative formulation ensures that its water and dirt repellent preservative effect on surfaces lasts for a long time. Thanks to the simple application, you get a very smooth and highly hydrophobic surface with deep gloss in a very short time. You can also use the product to care for vehicle surfaces protected with our paint sealants. This extends the service life of each coating.

**Areas of application:**

- Vehicles in motor-vehicle sector
- Motorhomes
- Motorcycles / Scooters
- Boats
- Lacquer, glass, metal and plastic surfaces

**Properties:**

- Strongly water-repellent
- Increases gloss and smoothness
- Resistant to weak acids and bases
- Simple and fast processing
- Minimal consumption

1 liter	5 liters
Art. No.: SF10417	Art. No.: SF10417.1

## Hydro Ceramic Wet Coat

High-performance wet sealing



servFaces Hydro Ceramic Wet Coat is a high-performance wet sealing based on the latest Hydro-Ceramic technology from servFaces. The new preservative formulation provides a long-lasting water- and dirt-repellent surface. This new preservation technology deepens gloss and creates a very smooth, highly hydrophobic surface. You can also use the product to care for vehicle surfaces protected with our paint sealants. This extends the service life of each coating.

**Areas of application:**

- Vehicles in motor-vehicle sector
- Motorhomes
- Motorcycles / Scooters
- Boats
- Lacquer, glass, metal and plastic surfaces

**Properties:**

- Strongly water-repellent
- Increases gloss and smoothness
- Resistant to weak acids and bases
- Simple and fast to use
- Minimal consumption

750 ml	5 liters
Art. No.: SF10418	Art. No.: SF10418.1

New



750 ml	5 liters
Art. No.: SF10500	Art. No.: SF10500.1

## PPF & Film PREP Solution

Pre-cleaner & Degreaser

servFaces PPF & Film PREP Solution is a specially formulated pre-cleaner that is optimally designed for preparing surfaces for film application. The unique combination of high-quality raw materials allows for the effective removal of oils, greases, and light tar and tree resin stains without damaging the surface. Additionally, servFaces PPF & Film PREP Solution dries without leaving any residue, ensuring a clean and reliable base for subsequent film application.

**Anwendungsgebiete:**

- Painted surfaces
- Gelcoat surfaces
- Glass surfaces
- Plastics (excluding acrylic glass and polycarbonate)
- A wide variety of metal surfaces

**Eigenschaften:**

- Powerful cleaning action
- Leaves no streaks
- Pleasant scent

New



750 ml	5 liters	25 kg
Art. No.: SF10501	Art. No.: SF10501.1	Art. No.: SF10501.2

## PPF & Film Application GEL - rtu

Ready-to-use installation gel for self-adhesive films

servFaces PPF & Film Application GEL is a transparent, medium-viscosity slip solution gel specifically designed to significantly simplify the application of paint protection films. This gel is characterized by its gel-like yet highly sprayable consistency, which allows for easy application using spray bottles and various spray applicators.

The formula of servFaces PPF & Film Application GEL is optimized so that the adhesives of the films being applied are not affected either in color or chemically. The gel ensures optimal wetting of the substrate, which guarantees the repositionability of the films during application and significantly simplifies the entire work process.

**Application Areas:**

- Painted surfaces
- Gelcoat surfaces
- Glass surfaces
- Plastics (including acrylic glass and polycarbonate)
- A wide variety of metal surfaces

**Properties:**

- Ready to use
- High viscosity
- Evaporates quickly after application
- Adheres well to horizontal and vertical surfaces
- Makes it easier to apply paint protection films

New



## PPF & Film Application GEL

### Installation gel concentrate for self-adhesive films

servFaces PPF & Film Application GEL is a concentrate for preparing an application fluid / slip solution and was specially developed to significantly simplify the application of paint protection films. This transparent, medium-viscosity gel is characterized by its gel-like yet highly sprayable consistency, which allows for easy application using spray bottles and various spray devices.

The formula of servFace PPF & Film Application GEL is optimized so that it does not affect the color or chemical properties of the adhesives in the films being applied. The gel ensures optimal moistening of the substrate, which allows the films to be repositioned during application and significantly simplifies the entire process.

#### Areas of Application:

- Painted surfaces
- Gelcoat surfaces
- Glass surfaces
- Plastics (including acrylic glass or polycarbonate)
- A wide variety of metal surfaces

#### Properties:

- Concentrated formula for mixing yourself
- High viscosity
- Evaporates quickly after application
- Adheres well to horizontal and vertical surfaces
- Makes it easier to apply paint protection films

5 liter	25 liters
Art. No.: SF10502	Art. No.: SF10502.1

New



## PPF & Film Application Fluid

### Concentrated installation fluid for self-adhesive films

servFaces PPF & Film Application Fluid is a concentrate for preparing an installation fluid / slip solution and has been specially developed to significantly simplify the application of paint protection and sun protection films. This transparent, low-viscosity installation fluid is characterized by its fine spray and wetting properties, which allow for easy application using spray bottles and various spray devices.

The formulation of the PPF & Film Application Fluid Concentrate is optimized so that it does not affect the color or chemical properties of the adhesives in the films being applied. The fluid ensures optimal moistening of the substrate, which allows the films to be repositioned during application and significantly simplifies the entire work process.

#### Anwendungsgebiete:

- lackierte Oberflächen
- Gelcoat Oberflächen
- Glasoberflächen
- Kunststoffe (auch Acrylglas oder Polycarbonat)
- verschiedenste Metalloberflächen

#### Properties:

- Concentrated formula for mixing yourself
- Easy to spray
- Evaporates quickly after spreading
- Excellent wetting properties
- Makes it easier to apply paint protection films

1 liter	5 liters
Art. No.: SF10503.0	Art. No.: SF10503.1



## **ACCESSORIES FOR CLEANING AND CARE**

MICROFIBER CLOTHS  
SPONGES AND WASHING ACCESSORIES  
APPLICATORS AND CLOTHS

## Special Coating Towels

Microfiber cloths with seamless edge – pack of 10



The servFaces Special Coating Towels are short-pile microfiber cloths with specially tuned fibres. The fiber structure guarantees a very simple and scratch-free polishing of all permanent surface coatings such as Coat Ultima. This high-quality microfiber cloth is also ideal for normal cleaning work.

**Areas of application:**

- Application of surface coatings
- Cleaning

**Properties:**

- Seamless edge
- Special fiber structure

**Material:**

80% Polyester, 20% Polyamide

Art. No.:	Size:	Weight:	Content:
SF10028	40 cm x 40 cm	290 GSM	10 pieces

## Special Drying Towel

A microfiber cloth for drying surfaces



The servFaces Special Drying Towel is an important accessory that helps prevent paint damage after car washing. It is super soft and is excellent for very gentle drying of painted surfaces. The long-and-short pile fiber structure allows the towel to absorb a lot of water and dry surfaces quickly and super gently.

**Properties:**

- Weight: Approx. 400 g/m<sup>2</sup>
- Size: Approx. 60 x 100 cm
- Special fiber structure
- Refined microfiber edge
- Long- and short-pile, tight fiber structure
- Highly absorbant
- Glides easily over surfaces
- Wash at 60° C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10031	60 cm x 100 cm	400 GSM	1 piece

## Premium Drying Towel

A microfiber cloth for drying surfaces



The servFaces Premium Drying Towel is the latest development in microfiber technology and an important accessory to prevent paint damage after car washing. It is super soft and is excellent for very gentle cleaning of painted surfaces. A long, twisted fiber structure makes this towel extra absorbent, allowing it to dry surfaces quickly and super gently.

**Properties:**

- Weight: Approx. 1,000 g/m<sup>2</sup>
- Size: Approx. 60 x 100 cm
- Special fiber structure
- Seamless and super soft
- Long, refined fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60° C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10273	60 cm x 100 cm	1,000 GSM	1 piece

Microfiber cloths



## MINI // Premium Drying Towel

A microfiber cloth for drying surfaces



STANDARD 100  
ZH015 268406  
TESTEX

The servFaces MINI // Premium Drying Towel is the latest development in microfiber technologies and an important accessory that helps prevent paint damage after car washing. The MINI is super soft and is excellent for very gentle cleaning of painted surfaces. A long, twisted fiber structure makes this towel extra absorbent, allowing it to dry surfaces quickly and super gently.

**Properties:**

- Weight: Approx. 1,000 g/m<sup>2</sup>
- Size: Approx. 60 x 40 cm
- Special fiber structure
- Seamless and super soft
- Long twisted fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10279	60 cm x 40 cm	1,000 GSM	1 piece



## Premium Allround Towels

Microfiber cloth



STANDARD 100  
ZH015 268406  
TESTEX

servFaces Premium Allround Towels are long-pile microfiber cloths for a wide range of applications. The special fiber structure and ultrasonic-cut edges guarantee a high-gloss finish and will not scratch very sensitive surfaces. This premium microfiber cloth is also suitable for cleaning very sensitive surfaces.

**Areas of application:**

- Dust removal, wax removal, polishing and paint care products
- Cleaning
- Finish

**Properties:**

- Special fiber structure
- Rimless/ultrasound
- Double-sided high-pile and thick fibers
- Delivered in resealable PVC bag

**Material:**

70% Polyester, 30% Polyamide

Art. No.:	Size:	Weight:	Content:
SF10073	40 cm x 40 cm	500 GSM	5 pieces



## Premium Buffing Towel

Microfiber cloth



STANDARD 100  
ZH015 268406  
TESTEX

servFaces Premium Buffing Towel is a heavy-duty long-pile microfiber cloth for a wide range of applications. The special fiber structure and ultrasonic-cut edge guarantee a high-gloss finish and will not scratch very sensitive surfaces.

**Areas of application:**

- Dust removal, wax removal, polishing and paint care products
- Cleaning
- Finish

**Properties:**

- Special fiber structure
- Rimless/ultrasound
- long and short-pile, tight fiber structure

**Material:**

70% Polyester, 30% Polyamide

Art. No.:	Size:	Weight:	Content:
SF10259	40 cm x 40 cm	500 GSM	3 pieces

## Premium Hybrid Towel

A microfiber cloth for cleaning and drying surfaces



The servFaces Premium Hybrid Towel is the latest development in microfiber technologies and an important accessory for car washing and drying. This double-sided towel offers flexibility in application. The super soft Premium Hybrid Towel cleans painted surfaces particularly gently. Its long-and-short pile fiber structure makes it absorbent, so it can dry surfaces quickly and super gently.

**Properties:**

- Weight: Approx. 900 g/m<sup>2</sup>
- Size: Approx. 40 x 40 cm
- Special fiber structure
- Microfiber edge and super soft
- Long, twisted & waffle fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10280	40 cm x 40 cm	900 GSM	1 piece

## Glass Cleaning Towels (for application on wet surfaces)

Microfiber cloth



servFaces Glass Cleaning Towels for wet cleaning of glass surfaces are special microfiber cloths with a very fine fiber structure. The special 2-sided structure provides a high water absorption capacity and perfect cleaning results.

**Areas of application:**

- Wet cleaning of various glass surfaces
- Cleaning

**Properties:**

- Special fiber structure
- Two-sided fine, tight fiber structure

**Material:**

80 % Polyester, 20 % Polyamide

Art. No.:	Size:	Weight:	Content:
SF10074	40 cm x 40 cm	350 GSM	2 pieces

## Glass Cleaning Towels (for application on dry surfaces)

Microfiber cloth



servFaces Glass Cleaning Towels for re-polishing of glass surfaces are special microfiber cloths with a very fine, waffle fiber structure. The waffle structure ensures great polishing results. You can also use the microfiber cloth for wet cleaning, because the waffle structure guarantees a very high dirt holding capacity.

**Areas of application:**

- Dry cleaning / Polishing of various glass surfaces
- Cleaning

**Properties:**

- Special fiber structure
- Refined microfiber edge
- Waffle structure on both sides, tight fiber structure
- Enormous absorbing and sliding capacity

**Material:**

80 % Polyester, 20 % Polyamide

Art. No.:	Size:	Weight:	Content:
SF10075	40 cm x 40 cm	390 GSM	2 pieces



### Wheel Brush MAX

Rim brush for thorough rim cleaning

The servFaces Wheel Brush MAX is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The conical shape makes it possible to reach small and large gaps and is particularly suitable for all types of rims with narrow spokes. The protective plate on the handle prevents the cleaning agent from running down. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

**Properties:**

- Length 45 cm, Ø10,5 cm
- 100% Nylon
- Robust & stable
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

Art. No.:	Size:	Content:
SF10449	Length 45 cm, Ø10,5 cm	1 Piece



### Wheel Brush MINI

Rim brush for thorough rim cleaning

The servFaces Wheel Brush MINI is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The conical shape makes it possible to reach small and large gaps and is particularly suitable for all types of rims with narrow spokes. The protective plate on the handle prevents the cleaning agent from running down. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

**Properties:**

- Length 33,5 cm, Ø6,5 cm
- 100% Nylon
- Robust & stable
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

Art. No.:	Size:	Content:
SF10448	Length 33,5 cm, Ø6,5 cm	1 Piece



### Wheel Brush PRO

Rim brush for thorough rim cleaning

The servFaces Wheel Brush PRO is indispensable for professional rim cleaning due to its special properties and is suitable for all types of rims. The brush head is made of robust, chemical-resistant and at the same time material-friendly nylon threads that ensure thorough cleaning. The round shape enables targeted cleaning of angled spoke, that makes intensive dirt removal possible. For high-gloss/chrome rims and other sensitive rims – first check for compatibility in a hidden area!

**Properties:**

- Length 40 cm, Ø8 cm
- 100% Nylon
- Robust & stable
- Chemical-resistant

Art. No.:	Size:	Content:
SF10450	Length 40 cm, Ø8 cm	1 Piece



## Wheel Brush Set of 3

Rim brushes for thorough rim cleaning

With the 3-piece rim brush set – consisting of Wheel Brush PRO, Wheel Brush MINI, and Wheel Brush MAX – you can clean every rim quickly, thoroughly, and gently. Three different sized brushes ensure that you have the right brush for every rim shape and size – ideal for narrow spokes, tight spaces or large areas. The high-quality bristles reliably remove dirt and brake dust without damaging the surface.

**Properties:**

- 100% Nylon
- Stable & robust
- Bendable brush head
- Chemical-resistant
- Handle with rubber protective plate ash and protection

<b>Art. No.:</b>	<b>Content:</b>
SF10478	3 Stück



## Scrubber Pad

For cleaning work on leather, textiles and plastic

The Scrubber Pad is made of two high-quality materials and ensures powerful and pore-deep interior cleaning inside and outside. Do not use on painted or high-gloss surfaces.

**Areas of application:**

- Cleaning convertible tops and insect removal
- Interior and exterior cleaning of plastic, leather and textiles

**Properties:**

- Extremely fine nylon 700 gsm
- Microfiber Mesh 320 gsm
- Silky-smooth microfiber edge
- Rounded shape

Art. No.:	Color:	Size:	Content:
SF10445	Grey	10 x 14 x 2 cm	1 Piece
SF10446	Yellow	10 x 14 x 2 cm	1 Piece
SF10447	Light-Green	10 x 14 x 2 cm	1 Piece

## Leather & Interior brush

Hand-crafted brush made of beech wood

Hand-crafted brush made of beech wood for the gentle cleaning of leather surfaces.

**Areas of application:**

- Cleaning work



1 Piece
<b>Art. No.:</b> SF10071

### Premium Wash Sponge

A super soft wash sponge



The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

**Properties:**

- Weight: Approx. 1,000 g/m2
- Size: Approx. 21 x 14 x 5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10301	21 cm x 14 cm x 5 cm	1,000 GSM	1 piece

### Premium Wash Sponge - MEDIUM

A super soft wash sponge



The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

**Properties:**

- Weight: Approx. 1,000 g/m2
- Size: Approx. 18 x 12 x 4,5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10336	18 cm x 12 cm x 4,5 cm	1,000 GSM	1 piece

### Premium Wash Sponge - MINI

A super soft wash sponge



The servFaces Premium Wash Sponge is an important accessory that helps prevent paint damage during car washing. This super soft sponge cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.

**Properties:**

- Weight: Approx. 1,000 g/m2
- Size: Approx. 15 x 11 x 3,5 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 40°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10335	15 cm x 11 cm x 3,5 cm	1,000 GSM	1 piece

## Premium Wash Mitt

Premium washing glove



The servFaces Premium Wash Mitt is an important accessory that helps prevent paint damage during car washing. This super soft mitt cleans painted surfaces very gently. Its long fiber structure and internal foam core make it highly absorbent and help gently lift dirt from the paint surface during washing.



**Properties:**

- Weight: Approx. 1,000 g/m<sup>2</sup>
- Size: Approx. 26 x 18 cm
- Special fiber structure
- Finished edges
- Double-sided long-pile, tight fiber structure
- Highly absorbent
- Glides easily over surfaces
- Wash at 60°C, no fabric softener
- Lifts away dirt without leaving any scratches
- Comes in a resealable PVC bag

Art. No.:	Size:	Weight:	Content:
SF10185	26 cm x 18 cm	1,000 GSM	1 piece

## Pro Bag

Protective laundering bag



The servFaces Pro Bag protects textiles such as microfiber cloths and polishing pads when they are being laundered in the washing machine.



**Properties:**

- With a practical zip fastener
- Sewn-in color labels simplify laundry separation
- Wash at 60°C
- 60 x 50 cm
- Holds up to 2.5 kg

Art. No.:	Size:	Can be filled up to:	Content:
SF10303	60 cm x 50 cm	2,5 kg	1 piece





### Microfiber Applicator 13cm

Double-sided short-pile and silicone-free Microfibre Applicator

The servFaces Microfiber Applicator is silicone-free and guaranteed uniform and economical application of various servFaces care products and waxes. The very fine microfiber structure with one foam core avoids excessive penetration of liquids or wax and thus saves precious material.

**Areas of application:**

- Application of various servFaces care products and waxes

**Material:**

45 % Polyester, 10 % Polyamide, 45 % Polyurethane

**Properties:**

- Special fiber structure
- Double-sided short-pile, solid fiber structure
- Practical rubber band
- Low friction coefficient

Art. No.:	Color:	Size:	Weight:	Content:
SF10441	green	Ø 13 cm / 20 mm	350 GSM	1 piece
SF10440	blue	Ø 13 cm / 20 mm	350 GSM	1 piece
SF10442	yellow	Ø 13 cm / 20 mm	350 GSM	1 piece



### Applicator Mitt

Microfiber Application Mitt



STANDARD 100  
ZH015 268406  
TESTEX

The servFaces Applicator Mitt is silicone-free and guarantees uniform and cost-effective application of various servFaces coatings, car care products and waxes. The very fine micro-fiber structure with a foam core prevents excessive absorption of liquids or wax and saves valuable material.

**Areas of application:**

- Application of various servFaces coatings, car care products and waxes

**Properties:**

- Special fiber structure (320 GSM)
- Double-sided short-pile, solid fiber structure
- Extremely high gliding ability

Art. No.:	Size:	Weight:	Content
SF10413	12,5 cm x 10,5 cm	320 GSM	2 pieces

### Premium Applicator Sponges

Microfiber applicators

The servFaces Premium Applicator Sponges is silicone-free and guarantees uniform and cost-effective application of various servFaces coatings, car care products and waxes. The very fine micro-fibre structure with a foam core prevents excessive absorption of liquids or wax and saves valuable material.



**Areas of application:**

- Application of various servFaces coatings, car care products and waxes

**Material:**

45% Polyester, 10% Polyamide, 45% Polyurethane

**Properties:**

- special fiber structure (320 GSM)
- double-sided short-pile, solid fibre structure
- extremely high gliding ability

Art. No.:	Size:	Weight:	Content:
SF10414	12 cm x 8 cm x 3 cm	320 GSM	4 pieces



## Applicator Puck

The Applicator Puck is perfect for applying care products such as Tire & Rubber Care. Its round shape fits comfortably in the hand. Thanks to its size, care products can be applied very precisely.

**Areas of application:**

- Application of care products

Art. No.:	Size:	Content:
SF10398	Ø 65/50 (40+10) mm	1 piece



## Applicator Puck MAXI

The Applicator Puck MAXI is perfect for applying care products such as Hybrid Wax Creme, Tire & Rubber Care or Cockpit & Plastic Care. It is especially well suited to work on large areas.

**Areas of application:**

- Application of care products

Art. No.:	Size:	Content:
SF10399	125 mm x 70 mm x 50 mm	1 piece



## Applicators

For applying servFaces coatings

**Properties:**

- 80 x 40 x 23 mm

Art. No.:	Size:	Content:
SF10035	80 x 40 x 23 mm	10 pieces
SF10035.1	80 x 40 x 23 mm	50 pieces
SF10035.2	80 x 40 x 23 mm	100 pieces
SF10035.3	80 x 40 x 23 mm	200 pieces



## Application Cloths

Special microfiber cloths for processing various surface coatings and glass seals.

**Properties:**

- 10 x 15 cm

Art. No.:	Size:	Content:
SF10037.1	10 x 15 cm	50 pieces
SF10037.2	10 x 15 cm	100 pieces
SF10037.3	10 x 15 cm	200 pieces
SF10037.4	10 x 15 cm	400 pieces



# CLOTHING

POLO SHIRTS  
POLISHING APRON

## Polo Shirts

In black or white

High-grade polo shirts made from a cotton blend with the servFaces logo on both front and back.

Please note that our polo shirts have a slim cut. You may wish to order one size larger.

**Size:** XS – XXL

**Color:** White or black

**Content:** 50% polyester, 50% cotton



### White:

Size:	Art. No.:
XS	SF10040.11
S	SF10040.5
M	SF10040.6
L	SF10040.7
XL	SF10040.8
XXL	SF10040.9

### Black:

Size:	Art. No.:
XS	SF10040.10
S	SF10040
M	SF10040.1
L	SF10040.2
XL	SF10040.3
XXL	SF10040.4



## Polishing apron

High-grade detailing aprons made of 100% cotton with the silver servFaces logo and practical pockets.

**Size:** One size

**Color:** Black

**Options:** Long

<b>Size:</b> lang
<b>Art. No.:</b> SF10256.1

# MERCHANDISE

PROMOTIONAL MATERIAL





## Mirror Tags with Care Instructions

For hanging in customer vehicles after professional ceramic coating

The mirror tag can be attached to the customer's vehicle after a professional ceramic coating – for example, on the rearview mirror. The tag offers customers useful care instructions so that they can enjoy the coated paintwork and shine for a long time.

Art. No.:	Language:	Content:
SF10334.1	English	10 pieces
SF10411	German & English	10 pieces



## Coating Booklet including Sticker

5 coating booklets & 5 stickers

The coating booklet is a great way to build customer loyalty. After the surface has been coated, give your customer their own personal coating booklet. In addition to customer data, note can be made of which products were used and how many coats were applied. In this way the process becomes transparent to customers and they can stay on top of their treatment regimen.

Art. No.:	Content:
SF10039	5 coating booklets & 5 stickers - German & English
SF10039.1	5 coating booklets & 5 stickers - English



## servFaces Banner

Mesh plan (PVC-free), 240 g polyester matt white (B1 certified), printed 4/0 colors, hemmed + eyelets at a distance of 50 cm all around.

**Properties:**

- Environmentally friendly
- UV- and weatherproof
- Durable
- B1 certified - flame retardant according to DIN 4102
- 100% recyclable

**Content:**

100% polyester

**Size:** 1.20 m x 1.20 m

1.20 m x 1.20 m
<b>Art. No.:</b> SF10042



2.000 x 850 mm

Art. No.: SF10388

## Banner Cleaning Products

High-quality PVC banner, hemmed, eyelets every 50 cm

**Properties:**

- 510g frontlit tarpaulin
- Weatherproof, suitable for inside and outside
- B1 certified – not easily flammable per DIN 4102 standard

**Size:** 2.000 x 850 mm



2.000 x 850 mm

Art. No.: SF10389

## Banner Care Products

High-quality PVC banner, hemmed, eyelets every 50 cm

**Properties:**

- 510g frontlit tarpaulin
- Weatherproof, suitable for inside and outside
- B1 certified – not easily flammable per DIN 4102 standard

**Size:** 2.000 x 850 mm



51 x 26 x 37 cm

Art. No.: SF10437

## servBag

The servFaces car care bag is used to store and transport servFaces products. The bag offers plenty of storage space for bottles, microfiber cloths and accessories. The separate pockets inside allow each bottle to be secured individually so that products can be transported safely without falling over or leaking. The feet at the bottom of the bag guarantee a secure stand and ensure that the bag stays dry from below. The logo embroidery gives the bag a high-quality and professional look.

**Characteristics:**

- High quality logo embroidery
- Wide carrying strap
- Plastic feet on the bottom of the bag
- Stable bottom of the bag
- Separate internal pockets in different sizes for safe storage of bottles.
- 5 compartments for 750/1L bottles and 8 compartments for 250 ml bottles

**Size:** ca. 51 x 26 x 37 cm





servFaces GmbH • Zeppelinstr. 2-4 • D-72488 Sigmaringen  
Hotline: +49 7571 6894 0 • [info@servFaces.de](mailto:info@servFaces.de) • [www.servFaces.de](http://www.servFaces.de)