



Safety Data Sheet

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

UFI: SQN4-0EMC-8H99-MF9T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Anti-freeze and de-icing products

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|--|----------------------------|
| Company name: | ServFaces GmbH | |
| Street: | Zeppelinstraße 2-4 | |
| Place: | D-72488 Sigmaringen | |
| Telephone: | +49 7571 6894 0 | |
| E-mail: | info@servfaces.de | |
| Contact person: | Jörg Reents | Telephone: +49 7571 6894 0 |
| E-mail: | info@servfaces.de | |
| Internet: | www.servfaces.de | |
| Responsible Department: | Giftinformationszentrum Mainz / 24h Deutsch & Englisch | |

1.4. Emergency telephone number:

+49 6131 / 19240 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 2 of 12

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|----------|---------------------------------------|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 64-17-5 | ethanol; ethyl alcohol | | | 15 - < 20 % |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 107-21-1 | ethanediol; ethylene glycol | | | 1 - < 5 % |
| | 203-473-3 | 603-027-00-1 | 01-2119456816-28 | |
| | Acute Tox. 4, STOT RE 2; H302 H373 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|--|-----------------------------|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 64-17-5 | 200-578-6 | ethanol; ethyl alcohol | 15 - < 20 % |
| | inhalation: LC50 = 124,7 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | | |
| 107-21-1 | 203-473-3 | ethanediol; ethylene glycol | 1 - < 5 % |
| | dermal: LD50 = 3500 mg/kg; oral: ATE = 500 mg/kg | | |

Labelling for contents according to Regulation (EC) No 648/2004

perfumes (Cinnamal, Benzyl alcohol), preservation agents (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, LAURYLAMINE DIPROPYLENEDIAMINE, pyridine-2-thiol 1-oxide, sodium salt; pyrithione sodium; sodium pyrithione, 2-Bromo-2-nitropropane-1,3-diol).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection!
When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media**



Safety Data Sheet

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 3 of 12

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Not sustaining combustion.. Vapours can form explosive mixtures with air.
In case of fire may be liberated: Pyrolysis products, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Remove persons to safety. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.
Ventilate affected area.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Use personal protection equipment.

Advice on protection against fire and explosion

Not sustaining combustion.. Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Draw up and observe skin protection programme. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 4 of 12

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Keep away from heat. Protect from direct sunlight.

7.3. Specific end use(s)

Cleaning agent (Glass)

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|----------|------------------------------|------|-------------------|-----------|---------------|--------|
| 107-21-1 | Ethane-1,2-diol, particulate | - | 10 | | TWA (8 h) | WEL |
| 107-21-1 | Ethane-1,2-diol, vapour | 20 | 52 | | TWA (8 h) | WEL |
| | | 40 | 104 | | STEL (15 min) | WEL |
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|----------|-----------------------------|----------------|----------|------------------------|
| 64-17-5 | ethanol; ethyl alcohol | | | |
| | Worker DNEL, acute | inhalation | local | 1900 mg/m ³ |
| | Worker DNEL, long-term | dermal | systemic | 343 mg/kg bw/day |
| | Worker DNEL, long-term | inhalation | systemic | 950 mg/m ³ |
| 107-21-1 | ethanediol; ethylene glycol | | | |
| | Worker DNEL, long-term | inhalation | local | 35 mg/m ³ |
| | Worker DNEL, long-term | dermal | systemic | 106 mg/kg bw/day |
| | Consumer DNEL, long-term | inhalation | local | 7 mg/m ³ |
| | Consumer DNEL, long-term | dermal | systemic | 53 mg/kg bw/day |

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 5 of 12

PNEC values

| CAS No | Substance | Value |
|--|------------------------|------------|
| Environmental compartment | | |
| 64-17-5 | ethanol; ethyl alcohol | |
| Freshwater | | 0,96 mg/l |
| Marine water | | 0,79 mg/l |
| Freshwater sediment | | 3,6 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 580 mg/l |
| Soil | | 0,63 mg/kg |
| 107-21-1 ethanediol; ethylene glycol | | |
| Freshwater | | 10 mg/l |
| Freshwater (intermittent releases) | | 10 mg/l |
| Marine water | | 1 mg/l |
| Freshwater sediment | | 37 mg/kg |
| Marine sediment | | 3,7 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 199,5 mg/l |
| Soil | | 1,53 mg/kg |

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN ISO 374)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Respiratory protection necessary at: vapour/aerosol or mist formation, insufficient ventilation, exceeding exposure limit values.

Thermal hazards

No information available.

Environmental exposure controls

Avoid release to the environment.

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 6 of 12

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | | |
|---|----------------|----------------------------|
| Physical state: | Liquid | |
| Colour: | light orange | |
| Odour: | fruity | |
| Odour threshold: | not determined | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and boiling range: | | (Ethanol) 78 °C |
| Flammability: | | Not sustaining combustion. |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | > 35 °C |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value: | | 6,0 - 6,5 |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | miscible |
| Solubility in other solvents | | not determined |
| Partition coefficient n-octanol/water: | | not determined |
| Vapour pressure: | | not determined |
| Density: | | 0,985 g/cm ³ |
| Relative vapour density: | | not determined |
| Particle characteristics: | | not applicable |

9.2. Other information**Information with regard to physical hazard classes**

Sustained combustibility: No sustained combustibility

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Not sustaining combustion.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Keep away from heat. Protect from direct sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation**

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 7 of 12

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|----------|-----------------------------|---------------|---------|--------|--------------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 64-17-5 | ethanol; ethyl alcohol | | | | | |
| | oral | LD50 mg/kg | 10470 | Rat | Manufacturer | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Manufacturer | |
| | inhalation (4 h) vapour | LC50 mg/l | 124,7 | Rat | Manufacturer | |
| 107-21-1 | ethanediol; ethylene glycol | | | | | |
| | oral | ATE mg/kg | 500 | | | |
| | dermal | LD50 mg/kg | 3500 | Mouse | Manufacturer | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

oral, Skin contact, Eye contact.

aerosol or mist formation: Inhalation

11.2. Information on other hazards**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 8 of 12

| CAS No | Chemical name | | | | | |
|----------|-----------------------------|---------------|-----------|---------|---|--------------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64-17-5 | ethanol; ethyl alcohol | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Piscis | Manufacturer |
| | Acute algae toxicity | ErC50 mg/l | 22000 | 96 h | Algae | Manufacturer |
| | Algae toxicity | NOEC | 675 mg/l | 4 d | Algae | Manufacturer |
| | Crustacea toxicity | NOEC | 1806 | 10 d | Ceriodaphnia spec | Manufacturer |
| 107-21-1 | ethanediol; ethylene glycol | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 10000 | 96 h | Pimephales promelas (fathead minnow) | Manufacturer |
| | Acute algae toxicity | ErC50 mg/l | > 6500 | 96 h | Selenastrum capricornutum | Manufacturer |
| | Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia magna (Big water flea) | Manufacturer |
| | Fish toxicity | NOEC | 15380 | 7 d | Pimephales promelas (fathead minnow) | Manufacturer |
| | Algae toxicity | NOEC | 100 mg/l | 3 d | Algae | Manufacturer |
| | Crustacea toxicity | NOEC | 8590 | 7 d | Daphnia magna (Big water flea) | Manufacturer |
| | Acute bacteria toxicity | EC50 () | 225 mg/l | 0,5 h | Activated sludge | Manufacturer OECD 209 |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | |
|----------|---|--------|----|--------------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 64-17-5 | ethanol; ethyl alcohol | | | |
| | Biodegradation | 69 % | 5 | Manufacturer |
| | Readily biodegradable (according to OECD criteria). | | | |
| 107-21-1 | ethanediol; ethylene glycol | | | |
| | Biodegradation | > 99 % | 21 | Manufacturer |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------------------|---------|
| 107-21-1 | ethanediol; ethylene glycol | - 1,36 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



Safety Data Sheet

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 9 of 12

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of these transport regulations.

14.2. UN proper shipping name:

No dangerous good in sense of these transport regulations.

14.3. Transport hazard class(es):

No dangerous good in sense of these transport regulations.

14.4. Packing group:

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not sustaining combustion.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Hazchem code: -

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 10 of 12

Directive 2010/75/EU on industrial emissions: < 20 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Eye Irrit: Eye irritation
STOT RE: Specific target organ toxicity - repeated exposure
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging
EU: European Union
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
REACH: Registration, Evaluation and Authorization of Chemicals
UN: United Nations
PBT: Persistent, Bioaccumulative, Toxic
SVHC: Substance of Very High Concern
vPvB: very Persistent, very Bioaccumulative
ATE: Acute Toxicity Estimates
BCF: Bio-Concentration Factor
DMEL: Derived Minimal Effect Level
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
VOC: Volatile Organic Compounds
DIN: Deutsches Institut für Normung e.V. (German Institute for Standardization)
EN: European Standard
ISO: International Organization for Standardization
IUCLID: International Uniform Chemical Information Database
LC50: Lethal Concentration, 50 %
LD50: Lethal Dose, 50 %
LL50: Lethal Loading, 50 %
OECD: Organisation for Economic Co-operation and Development
EC50: Effective Concentration 50 %
M-Faktor: Multiplication Factor
EL50: Effect Loading, 50 %
ErC50: Effective Concentration 50 %, growth rate
M-Faktor: Multiplication Factor
NOEC: No Observed Effect Concentration
ADN: Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
DGR: Dangerous Goods Regulations
EmS: Emergency Schedules
IATA: International Air Transport Association
IBC: Intermediate Bulk Container
ICAO: International Civil Aviation Organization
IE: Industrial Emissions
IMDG: International Maritime Code for Dangerous Goods
LQ: Limited Quantity
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
MFAG: Medical First Aid Guide
RID: Regulations concerning the International carriage of Dangerous goods by rail
TI: Technical Instructions

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Relevant H and EUH statements (number and full text)

**Safety Data Sheet**

according to UK REACH Regulation

Scheibenfrostschutz und Klarsicht -18°C / Winter Dream

Revision date: 16.12.2025

Product code: SF10489

Page 12 of 12

| | |
|--------|--|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| EUH210 | Safety data sheet available on request. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)